



ACCESSORIES & ESSENTIALS

ELECTRONICS
TOYS
LUBRICANTS
CHEMICALS
TOOLS & GIFTS
WWW.KUBOTA.CA



QUALITY BUILT.
KEEP IT THAT WAY.

Kubota Canada Ltd. was formed in 1975 as a Canadian company affiliated with the Kubota Corporation of Osaka, Japan. From day one, Kubota has been committed to providing quality, innovation and value to customers in Canada and around the world. This commitment has earned the Kubota brand a reputation of durability and longevity that is shared by customers and Kubota dealers alike. We are pleased to offer you this catalogue full of Accessories and Essentials to enhance your Kubota experience.

Take pride in being a Kubota owner and show your true colors with these quality products available at your local Kubota dealer.



CHEMICALS

2-3 Chemicals

LUBRICATION PRODUCTS

4-5 Lubricants
6 Grease Guns
7-8 Lubrication
9 Filter Wrenches

FUEL PRODUCTS

10 Fuel Containers & Funnels
11 Funnels & Pour Spouts

ELECTRONICS

12 GPS Tracking
13 TRICO® Wiper Blades & MEGAGLOW Kits
14 LED Light Products
15 LED Light Bars "Ultra" Series

TRACKS

16 Camso Tracks

HAY/GRAIN

17 Portable Grain & Hay Moisture Testers
18-19 Tama Products

RADIOS

20-21 Radios
22 Custom SSV & SVL Kits
23 Excavator Kits
24-25 Radio Accessories
25 Displays

POWER SOURCE

26-27 Battery Maintenance
28 Alternators & Starters
29 Spark Plugs

CARGO CONTROL

30-31 Cargo Control
31 Tarp Straps

SHOP & SAFETY

32 Shop Products
33 Flashlights
34-36 Hand Tools
37 Trailer Testers
38 Tire Gauges
39 Safety Products
40 Gloves

SPRAYERS

42-43 Sprayers

TOOL STORAGE

44-45 BIGTOOLRACK®
46 Job Site Boxes
47 Chests & Cabinets

PRESSURE WASHERS

48 Pressure Washers
49 Jet Series
50 Cage Series
51 Geyser Series
52 Thunder Series
53-54 Accessories

LIFT EQUIPMENT

55 Lift Equipment

TOYS

56-58 Collectibles
60-62 Tractors
63 Utility Vehicles
64 Construction
65 Pedal Tractors
66-67 Farm & Ranch Sets
68 Construction Sets
69-71 Specialty Sets

NEW



A B C

White Lithium Grease

A. 7200002862

- Excellent on all metal parts
- Provides maximum lubrication protection under all types of weather and temperature conditions
- Will not wash off, freeze or melt
- Protects against rust and salt corrosion

Chain Lube

B. 7200002861

- High-performance lubricant blend for use on all exposed roller chains to provide lubrication and corrosion protection, as well as good penetration to points of contact
- Superior surface adhesion to resist water washout and mechanical displacement

Flexi-Film® Corrosion Protection

C. 7200002865

- Use to protect all types of metal surfaces from rust, corrosion and oxidation
- The penetrating and coating action ensures moisture is displaced and further moisture intrusion prevented
- Flexi-Film® will not dry up and flake off
- Flexi-Film® will also provide lubrication to sliding surfaces preventing binding and squeaking

NEW



D E F

Rust Breaker Penetrating Fluid

D. 7200002864

- Unique, specialized product that works by using freezing / micro-cracking action on the affected areas or surfaces
- Its freezing effect causes surface rust to crack and break away, which then allows the penetrating oils to reach deeper into the affected areas

Foaming Penetrating Spray

E. 7200002863

- Heavy-duty lubricant and penetrant which uses a unique formulation that will penetrate rust, lubricate surfaces and parts that are tight and binding, and repel moisture from surfaces
- The foamy nature of the product assists in the product's ability to stick to the surfaces it is sprayed on

Heavy Duty Brake Cleaner

F. 7200002860

- Our highest quality Brake Cleaner and the only formulation approved and used by most global OEM vehicle manufacturers
- Provides quick and effective cleaning and drying to free brake parts from brake dust, grime and brake fluid build-up to enable the brakes to function properly without any mechanical hindrance

NEW



A B C D E F

Equipment Wash

A. 7200002866

- Premium all-purpose cleaner
- Enhanced OEM formula

Low Foam Glass Cleaner

B. 7200002858

- Quickly dissolves and removes films and haze without streaking both interior and exterior glass
- Works well on interior chemical films, smoke films and general windshield haze

Heavy Duty Citrus Industrial Parts Cleaner with D-Limonene

C. 7200002859

- Strong, solvent -based, product, specifically designed for the effective removal of adhesive residues on glass and metal surfaces as well as industrial and machine parts

Spray & Shine

D. 7200002867

- Quick detailer, long lasting protection
- Helps keep mud, bugs and light dirt from sticking to the vehicle

Touch Screen Cleaner

E. 7200002868

- For use on any touch screen surface including GPS, vehicle DVD displays, cell phones, tablets and laptops
- Safely removes oil, grease, grime and other non-abrasive stains

Complete Kubota Care Kit

F. 7200002869

- Kit includes: Equipment Wash, Spray & Shine Detailer, Glass Cleaner, Touch Screen Cleaner, 3 Micro Fibre Towels

Anaerobic adhesives engineered to keep nuts and bolts tight under all conditions. No need for lockwashers or other mechanical fasteners. Available in Medium and High Strength formulas.

Medium Strength Thread Locker

50 mL - 72000-02626

10 mL - 72000-02627

- Screws to 3/4"
- Viscosity 1000 cp.
- Torque in lbs/Breakaway 100

High Strength Thread Locker

50 mL - 72000-02628

10 mL - 72000-02629

- Screws to 1"
- Viscosity 500 cp.
- Torque in lbs/Breakaway 200

Counter Top Display

72000-02620



For reliable and long lasting performance of your Kubota equipment... choose Genuine Kubota lubricants, greases and chemicals

Premium Synthetic Heavy Duty Grease

70000-10401

- Multi-purpose, waterproof, food grade lubricant
- Provides excellent protection from rust and corrosion
- Resistant to extreme temperatures from -40°C to 200°C
- Withstands extreme pressure from heavy loads, high speed



H2Blu Diesel Exhaust Fluid

Jug 5L - 72000-02647

- H2Blu Diesel Exhaust Fluid (DEF) is nontoxic, stable, odorless and colorless
- API certified and meets ISO 22241
- H2Blu offers a guaranteed purity to ensure your equipment meets EPA and Canadian emissions standards while performing at maximum efficiency



Premium UDT Hydraulic/Transmission Fluid

5L Jug 7200003406
20L Pail 7000020007

- Kubota approved fluid incorporating the latest additive technologies
- Premium quality for tractor transmission and hydraulic/wet brakes



- Provides high resistance to temperature breakdown, excellent seal compatibility, and anti-wear protection
- Winter grade

15W-40 Heavy Duty Engine Oil

5L Jug 7200003402
20L Pail 7000010005

- Premium quality, Kubota approved engine oil
- Ideal for most gasoline and diesel engines
- Multigrade for year round use
- Excellent long term protection for on and off highway equipment



Hydraulic Excavator Oil

20L Pail 7000010200

- Premium quality hydraulic oil
- Outstanding antiwear protection
- Meets the requirements of Kubota and other equipment manufacturers
- Excellent low temperature fluidity and all season multigrade performance



10W-30 Heavy Duty Engine Oil

5L Jug 7200003401
20L Pail 7000010205

- Premium quality, Kubota approved engine oil
- Ideal for most gasoline and diesel engines
- Multigrade for year round use
- Excellent long term protection for on and off highway equipment



White RTV Silicone Liquid Gasket

7200002960

- Oxygen sensor safe
- High resistance to temperature, oils, fuel and coolants (250°C)
- Non-corrosive
- Applications: crankcase, plenum chamber, head gaskets, small engines, motorcycle, watercraft, snowmobile, ATV's



Grey Liquid Gasket

7200002959

- Bonds well on irregular surfaces
- Exceptional resistance to gasoline, oil, water, chemicals
- Strong resistance to shock, torque and Vibration
- Temperature Range: -40°C to +150°C
- Applications: engine seal, flanges, screw sections, case seal

Grey RTV Silicone Liquid Gasket

0793505250

- High resistance to temperature, oils, fuel and coolants (250°C)
- Oxygen sensor safe
- Applications: gearbox, transmission, differentials, timing chain covers, most Flanges



Grey No Acid Liquid Gasket

0793560074

- Does not contain phthalate plasticizers
- Excellent chemical resistance against engine oil
- Outstanding mechanical resistance
- Excellent adhesion even to slightly contaminated surfaces
- Extremely fast curing
- Over paintable
- Specifically designed as a liquid gasket for flange surfaces which must resist extreme vibrations e.g. tractor transmission case



19.2V Cordless Grease Gun

Includes 1 Rechargeable Battery—77700-06280

Includes 2 Rechargeable Batteries—77700-06281

- Pressure release valve prevents gun from damage due to excessive back pressure
- Up to 6,000 PSI (413 bar) output grease pressure
- Includes:
 - Durable molded case
 - One “one hour quick charge” battery charger
 - 30” (762 mm) high pressure hose with spring guard on both ends (prevents hose kinking)
 - High pressure grease coupler

Part No.	Replacement Accessories
77700-06346	30” Replacement Hose
77700-06347	Rechargeable Battery , 19.2V , 1.5 Ah, Lithium Ion
77700-06348	1 Hour Battery Charger (Lithium Ion), 110V /60 Hz, 19.2V, US Plug



Pistol Grip Grease Gun

77700-02470

- Heavy duty aluminum die cast head with air bleeder
- Comfortable one-hand operation
- Heavy duty pistol handle with rubber grip
- Develops 6,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 18” flexible hose extension and 4-jaw coupler



Lever Action Grease Gun

77700-02471

- Heavy duty aluminum die cast head with air bleeder
- Built-in variable stroke mechanism
- Heavy duty lever handle with grip
- Develops 10,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 6” steel extension and 4-jaw coupler



Mini Lever Action Grease Gun with 2 Grease Cartridges

77700-03644

2 Pack Refill (Grease Only)—77700-03523

- Aluminum die cast head
- Develops 6,000 PSI—highest in its class
- 2-way loading (3 oz. cartridge or suction)
- Push lock plunger and plastic T-handle locks in place
- Includes 6” steel extension, 4-jaw coupler and two 3 oz. cartridges
- Two 3 oz. refill cartridges feature High-Performance Polyurea Multi-Purpose NLGI #2 grease—excellent resistance to water washout and corrosion



77700-03523

Quick Lock Coupler

77700-09000

- Up to 550 BAR / 8,000 PSI
- Unique new design for hassle free greasing
- Six point contact—six hardened cylindrical pins hold grease fitting in place



NEW

90° Coupler

77700-09001

- Working pressure 69 BAR / 1,000 PSI
- Designed for greasing fittings with limited reach, especially in low height application
- For hand operated grease guns only

NEW



4-Jaw Coupler

77700-03383

- Working pressure of 6,000 PSI
- Hardened coupler body
- Hexagonal nut for easy tightening
- 1/8” NPT



6” Steel Extension

77700-03384

- Straight adaptor
- 1/8” NPT



Heavy Duty Grease Gun Holder

77700-02474

- Rugged holder firmly secures standard size tube-style and most battery-operated grease guns
- Mount as needed with 1/4” carriage bolts (not included)



Grease Gun Holder

77700-03387

- Simple snap action design
- Perfect for safe and convenient storage of grease gun
- Mounts on almost any surface



4 Gallon Oil Drain Pan

77700-02456

- 1” diameter pour spout built into the pan
- Overall height: 5-1/2”




Flexible Grease Gun Hose

18” 77700-02473

12” 77700-02472

- Flexible hose extension for hard-to-reach places
- Minimum radius bend of 1.57”
- Hose ID: .14” / OD: .33”



6 Ounce Pistol Grip Oil Can

77700-03382

- All steel construction from tin-coated sheet
- 6” rigid spout
- Springless suction valve design provides trouble-free performance



Oil Drip Tray

77700-02455

- 22” x 22” x 1-1/2”
- 3 gallon capacity
- Chemically resistant polypropylene



Grease Fitting Tool 77700-03385

- Designed for removing worn or broken threads
- Hex size: 5/16" (7 mm) and 3/8" (9 mm)
- Tap re-threads: 1/4"-28



80 Piece Metric Grease Fitting Kit 77700-06283



Grease Injector Needle 77700-03386

- Lubricates in tight spaces
- Equipped with standard grease fitting without check ball
- Includes plastic protective cover



80 Piece SAE Grease Fitting Kit 77700-06282



Threads	Straight	90°
M6 x 1	20	10
M8 x 1	15	10
M10 x 1	15	10

Threads	Straight	45°	90°
1/8" - 27 PTF	25	10	10
1/4" - 28 SAE-LT	15	10	10

Grease Joint Rejuvenator 77700-02453

- Unclog frozen grease joints
- Works on farming, excavating, construction, industrial equipment, aircraft, automobiles, trailers and more
- Includes 5" flex hose for hard-to-reach areas



FILTER WRENCHES

Oil Filter Wrench

- Features a swivel handle which allows users to get to filters in hard-to-reach areas
- Wide dimpled band securely grips filters without crushing
- Cushion grip vinyl handle



Part No.	Size	Filter Diameter
77700-03661	Small	2-13/16" to 3-5/32"
77700-03662	Medium	3-1/2" to 3-7/8"
77700-03663	Truck/Tractor	4-3/4" to 5-1/8"

Small/
Medium

Nylon Strap Oil Filter Wrench 77700-03665

- Adjusts quickly to any spin-on filter up to 6" in diameter
- Strong nylon web belt will not slip
- Use with 1/2" square drive




Truck Filter Wrench 77700-03664

- Fits small diameter filters from 4-1/8" to 4-21/32" (105 mm to 118 mm)
- Wide 1-1/2" steel band designed to withstand the high torque requirements of truck, bus, RV and heavy duty equipment filters
- Use with 1/2" square drive



Full Range Filter Wrench Pliers 77700-03668

- 17" overall length with jaw range of 4-1/4" to 7"
- Full range pliers ideal for removing canister style filters from agriculture and construction equipment and vehicles
- Heavy duty forged construction
- Rubber grip handles provide leverage and extra reach
- Serrated teeth for better grip and grabbing power



Heavy Duty Filter Wrench Pliers 77700-02454

- 23" long reach for overtightened, hard-to-reach filters
- Removes any canister-type oil, hydraulic and fuel filter safely around hot engines and those hard-to-reach areas
- Works on 1-1/2" to 8" diameter filters
- Perfect for all vehicles from light trucks and autos to heavy machinery



5 Gallon Tuff Jugs

- No vent to open and close or to leak when pouring
- Approved by CARB and is EPA compliant
- The adaptor is designed to snap on and off of the Ripper Cap (does not auto-shut off)
- Spill-proof, self-sealing spout automatically pours and shuts off as fuel level in tank fills to end of spout

Part No.	Description	Fuel Type	Ripper Cap
77700-02083	5 Gallon	Gasoline	Red
77700-02133	5 Gallon	Diesel	Yellow
77700-01308	Adapter for the Ripper Cap	-	-



77700-01308



77700-02133

77700-02083



5 Gallon Type 1 Metal Safety Cans

- Spring-loaded, self-closing lid controls vapors, automatically closes after filling/pouring
- Rugged 24 gauge construction is guaranteed leak-proof
- Complies with OSHA 29 CFR 1910.106 and NFPA Code 30 requirements
- FM, UL, ULC certified
- Accepted container under CARB

Part No.	Fuel Type
77700-01541	Gasoline
77700-01542	Diesel
77700-03652	Kerosene

Plastic Fuel Containers

- Portable fuel containers come equipped with EPA/CARB compliant spouts and ANSI standards
- Easy-flow/spill-proof spout provides safe fuel storage and easy pouring

Part No.	Capacity	Fuel Type
77700-03647	1 Gallon	Gasoline
77700-03648	2 Gallon	Gasoline
77700-03649	5 Gallon	Gasoline
77700-03650	5 Gallon	Diesel
77700-03651	5 Gallon	Kerosene



77700-03650

77700-03649

77700-03651

77700-03648

77700-03647

77700-03373

Capped Funnel

- Ideal for agriculture and construction industry
- Fights contamination and promotes a clean workshop environment

Part No.	Capacity	Top ID	Spout ID	Height
77700-03371	1 Pint	3"	1/2"	9-1/2"
77700-03372	1-1/4 Quart	4"	5/8"	10-1/2"
77700-03373	1-1/2 Quart	4"	5/8"	17"
77700-03374	1-1/2 Quart	4"	1-1/8"	13-1/4"



77700-03374

77700-03372

77700-03371

Mr. Funnel

- Prevents customer from ruining their engines
- Removes water, dirt and debris from fuel
- Fast flow rate of up to 15 gallons per minute
- For use with portable fuel containers and fuel pumps
- Filters gasoline, diesel, heating oil and kerosene
- No replacement parts



	Flow Rate
72000-02743	2.5 GPM
72000-02744	3.5 GPM
72000-02745	5 GPM
72000-02746	15 GPM

Universal Pour Spout Funnel

77700-01543

- For use with Type 1 safety cans and FM certified
- Attaches quickly for safe, leak-free pouring
- The innovative hinged design allows you to fill or pour from the can without removing the funnel and takes up less space during storage



OD: 1/2"

18" Long Reach 1 Quart Funnel

77700-03378

- 18" spout ideal for hard-to-reach or confined areas
- Spout ID: 7/16"
- Top ID: 4-3/4"



77700-03377

Standard Screened Funnel

- Ideal for agriculture and industry
- In-spout safety screen reduces contamination
- Outer ribbing design eliminates air lock



77700-03376

77700-03375

Part No.	Capacity	Top ID	Spout ID	Height
77700-03375	1 Pint	4-1/2"	1/2"	6"
77700-03376	2 Quart	6-1/2"	1-1/16"	8-1/2"
77700-03377	6 Quart	8-1/2"	1-5/16"	10-1/2"

Polypropylene Lever Style Hand Pump

7200000294

- Fits 205 litre drum
- Piston Action Polypropylene Pump, Viton and polypro seals
- Corrosion resistant
- Suitable for water based fluids such as windshield washer fluid and diesel exhaust fluid
- Also good for many acid and alkali solutions (always check fluid compatibility)



1 Pint Funnel with 21" Flex Hose

77700-03379

- Spout ID: 1/2"
- Top ID: 5"
- Fights contamination and promotes a clean workshop
- Unique design prevents leftover fluid from dripping out



NEW

Item # *CELLUTRAK

SEE YOUR LOCAL KUBOTA DEALER
FOR MORE DETAILS!

TELEMATICS & REAL-TIME
TRACKING SOLUTION

TRACK ANYWHERE!



ALERTS

HISTORICAL DETAILED
REPORTING



THEFT



V.I.P.
SERVICE



MAINTENANCE



*REMOTE
DIAGNOSTICS



*COMING IN 2018

10 REASONS

FOR INSTALLING A
CELLUTRAK GPS
TRACKING DEVICE

On average, 160,000 vehicles are
stolen every year in Canada

Theft prevention

Live locating on demand

North America wide coverage

Prevent unauthorized usage with
remote engine disable

Birds eye view of all machines
displayed in real time

Active odometer/engine hour readings

Access to daily, weekly and
monthly reports

Create geo zones

Free smartphone application



TRICO® WIPER BLADES & MEGAGLOW KITS



TRICO®

- Steel frame provides exceptional strength and durability
- Precision-cut rubber edge creates superior wiping action
- Rugged construction

Part No.	Length
7200002818	13"
7200002819	16"
7200002820	18"
7200002821	20"
7200002840	22"



TRICO Tech®

- Memory Curve Steel™ beam provides uniform pressure for a clean, clear wipe
- Superior all-weather performance
- Rugged construction

Part No.	Length
7200002822	13"
7200002823	16"
7200002824	18"
7200002825	20"
7200002841	22"



TRICO ICE®

- Teflon®-infused synthetic blended element
- Extreme winter blade technology
- Rugged construction

Part No.	Length
7200002826	13"
7200002827	16"
7200002828	18"
7200002829	20"
7200002842	22"

MegaGlow LED Light Kits

LED Kits Replacement Chart	
Kit #	Kit Contents
B7347	Kit includes headlights, Turn signals, brake lights
B7348	Kit includes Headlights, Turn signals, Brake lights, and Interior light
L8484	Kit includes Upper and Lower Headlights, Turn signals, and Brake lights
L8494	Kit includes Front marker lights, front turn signals, rear Hazard lights and Interior light. **Use with L8484 above for complete tractor conversion**
M7242	Kit includes Upper and Lower Headlights, Turn signals, and Brake lights
M7243	Kit includes front marker lights, Hazard lights, and Interior light. **Use with M7242 above for complete tractor conversion**

Chart #2: LED Headlight only Part Numbers

Part No.	Compatible Machine Models
7200002847 - Headlight (pair)	B01 ROPs Tractors B50 ROPs Tractors B50 CAB Tractors
7200002850 - Upper Headlight (pair) 7200002851 - Lower Headlight (pair)	GL60 ROPs Tractors GL60 CAB Tractors
7200002851 - Upper Headlight (pair) 7200002852 - Lower Headlight (pair)	M5 ROPs Tractors M5 CAB Tractors M6S ROPs Tractors M6S CAB Tractors
7200002849 - Interior Light (pair)	All Cab Tractors

	B7347	B7348	L8484	L8494	M7242	M7243
B01 - ROPs Units	X					
B50 - ROPs Units	X					
B50 - Cab Units		X				
L60 - ROPs Units			X			
L60 - Cab Units			X	X		
M5 - ROPs Units					X	
M5N - ROPs Units					X	
M5L - ROPs Units					X	
M6S - ROPs Units					X	
M5 - Cab Units					X	X
M5N - Cab Units					X	X
M6S - Cab Units					X	X

See Chart #2 for individual part numbers



Flood Beam with Centre Spot Beam

- 7200002729**
- Lamp dimension : 6-5/16" W x 1-13/16" H x 2-3/8" D stud size : 5/16"
 - LED diode rated life : 30,000 hours
 - High UV resistant polyester powder coated black aluminium housing
 - Polycarbonate lens
 - Adjustable e-coated steel mounting bracket



2 Pack - Flood Beam with Centre Spot Beam with Female Deutsch Connectors

- 7200002733**
- Lamp dimension : 6-5/16" W x 1-13/16" H x 2-3/8" D, stud size : 5/16"
 - LED diode rated life : 30,000 hours
 - High UV resistant polyester powder coated black aluminium housing
 - Polycarbonate lens
 - Adjustable e-coated steel mounting bracket
 - IP69K RoHsDual Lamp Kit with Plug & Go Harness
 - 18 ft harness with 2 mating Male Deutsch receptacles, battery connections, fuse & in dash, on/off switch

LED Flood Lamp

- 7200002813**
- Lamp Dimension : 4-1/4" W x 4-7/8" H x 1-5/8" D stud size : 10 mm
 - LED diode rated life : 30,000 hours
 - Hooded High UV resistant polyester powder coated black aluminium housing
 - Polycarbonate lens
 - Adjustable e-coated steel mounting bracket



LED Flood Lamp

- 7200002812**
- 3120 Lumens
 - 500 ft optimal penetration
 - 16 OSRAM LEDs
 - Lamp dimensions 4-1/4" W X 5" H X 1-13/16" D
 - LED diode rated life : 30,000 hours
 - High UV resistant polyester powder coated black aluminium housing
 - Polycarbonate lens

LED Work Lamp

- 7200002730**
- Lamp dimension : 4-3/8" W x 4-7/8" H x 1-7/8" D, stud size : 5/16"
 - LED diode rated life : 30,000 hours
 - High UV resistant polyester powder coated black aluminium housing
 - Polycarbonate lens
 - Adjustable stainless steel mounting bracket



with Premium "OSRAM" LED

Durable polycarbonate lenses to resist stone chips

UV resistant coating on the reflective cups to prevent cracking

Closely spaced face plate screws to prevent leakage

One way relief valve to minimize condensation

High output Osram diodes with 30,000 hour life expectancy[†]

Weather proof sealed connections

Combo flood & spot beam to optimize light penetration & spread

Polyester coating to reduce fading & discolouration

IP69K
RoHs
EMC
Reverse voltage protection

Each lamp comes with sealed connector. 18 ft Plug & Go Harness with in dash on/off Switch, Relay & Fuse included

Part No.	Length	Lumens	LEDs	Peak Beam Intensity #	Optimal Penetration **	Amp Draw	Mounts Included	Pkg
7200002734	8"	3,240	12	105,000 cd	2,130 ft	2 @ 12V	Side Only	Box
7200002735	14"	6,480	24	157,500 cd	2,600 ft	4 @ 12V	Side & Bottom	Box
7200002736	22"	10,800	40	270,000 cd	3,400 ft	7 @ 12V	Side & Bottom	Box
7200002737	32"	16,200	60	447,500 cd	4,380 ft	10 @ 12V	Side & Bottom	Box
7200002738	42"	21,600	80	525,000 cd	4,750 ft	14.5 @ 12V	Side & Bottom	Box
7200002739	50"	25,920	96	560,000 cd	4,910 ft	18 @ 12V	Side & Bottom	Box

At Camso, we take pride in our understanding of equipment and applications. We're out on job sites everywhere, listening to users and learning how our rubber tracks can help their equipment perform better and last longer so that they can be more productive.

The result: a variety of tread patterns ready to work with your equipment and enhance your productivity.

Kubota offers Camso track products as a second line option to OEM tracks. See your local Kubota dealer for all of your equipment track needs.



Tracks for Compact Track Loaders



CAMSO CTL HXD

THE BEST TRACK FOR DURABILITY AND PERFORMANCE

- Single-cure technology with next generation rubber compound
- Trackguard iron core with heavy-duty carcass



CAMSO CTL SD

ALL-SEASON TRACTION AND DURABILITY

- Single-cure technology with advanced rubber compound
- Trackguard iron core improves rolling path life by 100%
- High-tensile steel cables prevent corrosion



Tracks for Mini-Excavators



CAMSO MX HXD

EXTREME RESISTANCE TO SEVERE CONDITIONS

- Patented 3S internal iron core
- High-tensile, rubber sealed steel cables protected by heavy-duty carcass and tread



CAMSO MX SD

PREDICTABLE SERVICE LIFE AND PERFORMANCE

- Patented 3S internal iron core
- High-tensile, rubber sealed steel cables prevent corrosion
- Unique 3S external iron core eliminates detracking

Over-the-Tire Tracks for Compact Skid Steer Loaders



CAMSO OTT HXD

QUICK MOUNT ATTACHMENT FOR TRACKED PERFORMANCE

- Full rubber track
- Embedded iron core with engineered wing design

Camso Sales Intelligence (Si)

Si.camso.co or on the App Store

Camso Sales Intelligence (Si) is a tool that facilitates the explanation of the features and benefits of our Material Handling, Construction and Agricultural products.

- Accessible off-line with the iOS app version
- Complete product information, including features and benefits and product sheets
- 360° views of products and action videos
- Product support information



MT-PRO Grain Moisture Tester

77700-06330

- Direct readout for 40 different grain scales
- Tests high moisture grain up to 40 percent
- Single-point or precision multi-point calibration to match local elevator
- Built-in average button displays the average of saved test results
- Higher-frequency, capacitive circuit for greater accuracy
- Includes protective carrying case with shoulder strap



DHT-1 Hay Moisture Tester with 18" Probe

77700-06328

- Direct readout for moisture % and temperature (°F and °C)
- Extra-rugged probe shaft made from aircraft aluminum
- Accurate throughout the normal range of stored, baled hay
- Moisture range: 14% - 44% depending on hay tested
- 9V battery required

HT-PRO Hay Moisture Tester with 20" Probe

77700-06327

- Includes calibration clip—less than 20 seconds to calibrate
- Above and below moisture limit indication
- Illuminated LCD display
- Moisture range: 8% - 44% depending on hay tested
- 9V battery required
- The first and only portable hay moisture tester with a calibration clip



Why Test Hay & Grain Moisture?

According to agricultural nutrition experts, the single most important factor influencing the quality of grain, hay and silage is moisture. Moisture management is a continuous process that requires the appropriate measuring tools. Protect your investment by testing moisture content before, during and after the season accurately and quickly using **Kubota Moisture Testers**.



TamaTwine+

- LSB - Unique development combines the strength of “traditional” 450 twine, with a dramatic increase in length
- XD - For ultimate performance

LARGE SQUARE BALES			
Part No.	Twine type	Single-spool pack length	Knot strength
7200002664	Tama LSB	4,400 feet	450 lbs.
7200002691	Tama XD	3,900 feet	570 lbs.



Brazilian Gold

Premium sisal twines by COSIBRA, Brazil’s most experienced twine manufacturer

- Brazil’s extra-long and strong fibers ensure uniform knotless twines for both square and round bales
- Extra-long fibers for consistent trouble-free baling, uniformity, and true length
- High tensile and knot strength
- Specially treated to resist rodents and insects and biodegradable

SMALL SQUARE BALES			
Part No.	Twine type	2-spool pack length	Knot strength
7200002668	9,000	9,000 feet	350 lbs.
ROUND BALES			
Part No.	Twine type	2-spool pack length	Knot strength
7200002669	16,000	16,000 feet	170 lbs.

Stretch Wrap for Square or Round Bales

- Manufactured using only quality virgin polymers, including modern 5- and 6- layer modern extruded process. Fully treated with U.V. inhibitors to prolong the life of wrapped bales



SunFilm	
Part No.	Description
7770006433	SunFilm 20" x 6,000' White - Thickness 1.0 mil
7770006434	SunFilm 30" x 5,000' White - Thickness 1.0 mil
7770006439	SunFilm 30" x 5,000' Green - Thickness 1.0 mil
7200002671	SunFilm Gold II 30" x 5,000' White - Thickness 6 Layer
7200002672	Hay Caps 93" x 72"
7200002673	Hay Caps 110" x 72" - 4 mil
Sigma	
Part No.	Description
7200002692	Stretch Film 20" x 6,000' - Thickness 1.0 mil
7200002674	Stretch Film 30" x 5,000' - Thickness 1.0 mil
7200002675	Stretch Film 30" x 4,000' - Thickness 1.2 mil
7200002676	Stretch Film 30" x 3,000' - Thickness 1.5 mil
7200002678	5-Layer Stretch Film 30" x 5,000' - Thickness 1.0 mil
7200002681	Performance 5 Stretch Film 30" x 5,000' Green- Thickness 1.0 mil

Kubota Netwrap

The Next Generation in Bale Wrap Technology

- **Reliable and consistent.** For a trouble-free baling experience — every time.
- **Edge to Edge™ technology.** For perfect bale coverage.
- **Zebra System™.** A clear Left-Right indicator for easy and correct loading of the roll into the baler every time. Plus, at feeding time, user can quickly see which direction to unroll the bale.
- **Red End Warning.** Indicates to the operator that the end of the roll is approaching. The red stripe marks the last 240 ft.



Part No.	Product Range
77700-06454	48" x 9,840'
77700-06385	48" x 12,500'
77700-06455	51" x 9,840'
77700-07961	51" x 11,500'
77700-07859	64" x 7,000'
77700-07860	67" x 7,000'



- **Guaranteed Length.** Every roll contains at least the guaranteed stated length, not a “plus or minus” average.
- **Carry Handles.** Easier and safer handling.
- **Edge Guards.** Protect roll from damage.
- **Unique ID Number.** Enables tracing of full production details.
- **TamaTec+.** Kubota roll feature TamaTec+, a unique combination of advanced raw materials and manufacturing techniques.

BaleBind™

A premium grade fibrillated split-film twine

- Manufactured with 100% virgin polymer resins
- UV light inhibitors to withstand intense exposure

SMALL SQUARE BALES			
Part No.	Twine type	2-spool pack length	Knot strength
7770006416	Balebind 7,200	7,200 feet	170 lbs.
7200002659	Balebind 9,000	9,000 feet	140 lbs.
7200002660	Balebind 9,000	9,000 feet	180 lbs.
7770006414	Balebind 9,600 (Orange)	9,600 feet	210 lbs.
7770006415	Balebind 9,600 (Blue)	9,600 feet	210 lbs.
7770006416	Balebind 12,000	12,000 feet	190 lbs.
LARGE SQUARE BALES			
Part No.	Twine type	Single-spool pack length	Knot strength
7770006432	Balebind 4,000	4,000 feet	450 lbs.
7200002663	Balebind 4,000	4,000 feet	550 lbs.
7200002662	Balebind 4,000	4,000 feet	650 lbs.
ROUND BALES			
Part No.	Twine type	2-spool pack length	Knot strength
7200002666	Balebind 40,000	40,000 feet	110 lbs.
7200002667	Balebind 28,000 (Blue)	28,000 feet	110 lbs.
7200002693	Balebind 28,000 (Orange)	28,000 feet	110 lbs.
ROUND BALES - SOLAR			
Part No.	Twine type	Single-spool pack length	Knot strength
7200002670	Clearfield™	20,000 feet	110 lbs.

AM/FM/WB/Bluetooth®/SiriusXM Ready® Weatherproof MINI Radio

77700-08973

- 12V DC Power
- Bluetooth with hands free calling
- iPhone/iPod control and charging via USB
- Rear USB
- Line level RCA outputs
- Front panel audio AUX-in for use with iPods, MP3 players & portable CD players
- AUX A/V in (front and rear)
- 7-Channel NOAA Weatherband tuner
- Weather Alert automatically switches to WB mode when NOAA warning broadcast is received
- Corrosion and UV-resistant faceplate
- Built-in job site work timer
- 12/24 hour clock

NEW



- Daylight readable display with wide viewing angle
- 3.5 mm headphone jack pigtail & 2-channel stereo speaker output
- 2-channel amplified audio output (15 watts)
- Microphone sold separately
- Dimensions: 5-3/16"W x 3-3/8"H x 1-7/8"D



NEW

Heavy Duty Short DIN Radio

77700-08588


- Waterproof face (IPX5)
- 12V DC power
- Electronic AM/FM tuner, RCA AUX input pigtail
- Includes NOAA 7-channel weather band, amber back-lighted control panel buttons
- 3" mounting depth
- Low battery alert



Heavy Duty MINI Waterproof AM/FM/WB/MP3 Radio

77700-04752

- 12V DC system—no batteries to recharge or replace
- Seven-channel NOAA weatherband tuner
- Built-in job site work timer
- Applications: Kubota SSV65 and SSV75 Skid Steers and many other all makes and models of equipment



Heavy Duty AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM Ready®/App Ready Radio

77700-04755

- 180 watt max output (45W x 4)
- iPod/iPhone controls and charging via front USB
- SiriusXM Ready (requires SiriusXM tuner and antenna)

- Seven-channel NOAA weatherband tuner and "Weather Alert"
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**
- Microphone sold separately

* Kubota M7040HDNBC, M8540HDNBC, M8540HDNBPC and all L40 series require bracket item no. 77700-05298

Heavy Duty AM/FM/USB/AUX/WB/Bluetooth®/iPhone®/iPod®/SiriusXM Ready® Radio

77700-06377

- Same features as 77700-04755 with the exception of a CD player and App Ready
- Includes Bluetooth Microphone (77700-04786)
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**



Heavy Duty AM/FM/WB/USB/iPhone®/iPod®/SiriusXM Ready® Radio

77700-04754

- Same features as 77700-04755 with the exception of a CD player and Bluetooth
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**

Heavy Duty AM/FM/WB Radio

77700-04753

- 160 watt max output (40W x 4)
- Seven-channel NOAA weatherband tuner
- Segmented, high-visibility LCD display with clock
- Two-wire hook-up prevents battery drain when vehicle is off
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**



Heavy Duty MINI Waterproof AM/FM/WB/Bluetooth® Radio

77700-04757

- Same features as 77700-04752 including:
 - Works with Bluetooth wireless headphones, as well as most other Bluetooth streaming audio (A2DP) headphones
 - Front and rear AUX-inputs for a more permanent installation

SSV Observation Camera Kit

77700-08974

- Kit includes:
 - Monitor (77700-08976)
 - Camera
 - Camera mounting bracket
 - Power harness for Kubota SSV
 - Y adapter for Kubota SVL
 - Ball mount 2 X 1.7
 - 4" double mount
 - Various hardware and cable

NEW



SVL Kit

CAB 77700-04787

ROPS 77700-06119

- Kit includes:
 - MINI Radio (77700-04752)
 - Waterproof Speakers (77700-04759)
 - 14" Rubber Mast Antenna (77700-04761)
 - Mounting brackets
 - Adapter harness

SVL Kit with Bluetooth®

CAB 77700-04797

ROPS 77700-06120

- Kit includes:
 - **Bluetooth** MINI Radio (77700-04757)
 - Waterproof Speakers (77700-04759)
 - 14" Rubber Mast Antenna (77700-04761)
 - Mounting brackets
 - Adapter harness



Voyager Rear Observation Kit for Cab SVL Machines

77700-06141

- Kit includes:
 - 5.6" heavy duty monitor
 - CMOS Color Camera
 - Waterproof CCD color camera
 - Camera bracket
 - Monitor bracket
 - 3' camera cable
 - Power harness
 - Y connector
 - Hardware
 - **Optional 15' Extension Cable available, sold separately (77700-06271)**

Two Channel Bluetooth® ROPS Kit

Item No. 77700-07939

- Kit includes:
 - Two fully enclosed high power waterproof 6.5" ROPS speakers
 - 50 watts RMS, 100 watts max power
 - Fits round bars 1-5/8 to 3"
 - Fits square bars 3 x 1.5" to 3 x 2"
 - Two channel waterproof Bluetooth amplifier
 - 2 x 40 watts max power
 - Square brackets included in kit, round brackets are optional



All Makes Observation Kit with 4.3" Monitor

77700-08975

- Built for severe duty environments
- Extremely durable monitor and camera
- Excellent night vision
- Three camera capability
- Bright 4.3" LCD display with anti-glare/scratch protective lens
- Image orientation: mirror (reversed)
- 15 ft. cable and 4 inch monitor mount included

NEW



Radio Kit for Excavators

77700-06210

- Kit includes:
 - MINI radio (77700-04752)
 - Weather resistant 4" speakers (77700-06375)
 - Two 4" grilles (77700-06476)
 - 6" rubber mast antenna (77700-04762)
- Plug N' Play radio adapter harness and speaker terminal adaptors
- Mounting brackets
- Applications include: KX71-3, KX71-3ST3, KX71-3S4, KX91-3S, KX91-3S2, U35S, U35S2, KX121-3S, KX121-3ST3, U45S, U45ST3, KX161-3ST3 (cab models only)

Radio Kit for Excavators

77700-04753A

- Kit includes:
 - Heavy Duty AM/FM/WB Radio (77700-04753)
 - Bullet connector (77700-04789)
- Applications include: U35-4, KX040-4, KX057-4, U55-4 (cab and non-cab models)



Radio Kit for Excavators

77700-04754A

- Kit includes:
 - Heavy Duty AM/FM/WB/USB iPhone®/iPod®/SiriusXM Ready® Radio (77700-04754)
 - Bullet connector (77700-04789)
- Applications include: U35-4, KX040-4, KX057-4, U55-4 (cab and non-cab models)

SiriusXM Satellite Tuner 77700-05478

- For use with SiriusXM Ready Stereos
- Compact size hides discreetly behind the dash for a fully integrated look
- Includes one magnetic antenna
- Subscription required




15' Extension Cable 77700-06271

- Rear View LCD Monitor cable that connects a Voyager LCD observation monitor with a Voyager side or rear camera
- **For Kubota item no. 77700-06141 (Voyager Rear Observation Kit)**



14" Top or Side Mount Rubber Mast Antenna 77700-04761

- Attached 59" cable
- Rubber gasket for watertight mounting
- Mounting base adjusts 90° for either top or side mounting



6" Top or Side Mount Rubber Mast Antenna 77700-04762

- Attached 39" cable
- 6" rubber mast prevents breakage



4" Universal Pedestal Monitor Mount 77700-05266

- Universal 4-hole mounting pattern
- Solid cast/machined aluminum



Omnidirectional Bluetooth® Microphone 77700-04786

- 12' cable with locking connector
- Visor clip and 3M adhesive pad included



77700-04789

Bullet Connectors

- For use with 77700-04755, 77700-04754 and 77700-04753 stereos

Part No.	Description
77700-04788	9-pin connector to Din radio
77700-04789	Bullet connector to Din radio

Radio Harnesses

- Your Kubota dealer offers a wide variety of harnesses that can be used to install these radios into many makes and models of equipment

Part No.	Description
77700-05368	All Makes Case Crawlers
77700-05318	All Makes CNH Current Models
77700-05319	All Makes CNH Old Models
77700-05369	All Makes Universal

4.3" Observation Monitor 77700-08976

- Three camera capability
- IPX6 rating
- Bright 4.3" LCD display with anti-glare/scratch protective lens
- Display graphic overlay shows real-time distance from objects
- Built-in speaker
- Manual or automatic source selection



Bluetooth® Microphone—Panel Mount 77700-08969

- Flush mount housing
- 39" cable length
- Locking connector
- Includes mounting bracket and blank plate
- Works with all Jensen Heavy Duty Bluetooth®-enabled radios



77700-06476



Weather Resistant 4" Speakers 77700-06375

- 30 watts max power handling
- Full metal basket with polypropylene woofer cone
- Dimensions: 4.06" x 4.06" x 1.9"—sold individually
- **Black metal grilles sold separately (77700-06476)**



Heavy Duty 4" Waterproof Speakers 77700-04760

- 120 watts max power handling
- Grille diameter: 5", mounting hole diameter: 3-3/4", mounting depth: 1.6"
- Sold individually

Heavy Duty 3.5" MINI Waterproof Surface Mount Speakers 77700-04759

- 120 watts max power handling
- Grille diameter: 5", mounting hole diameter: 3-3/4", mounting depth: 1.6"
- **Ideally paired to the 77700-04752 MINI Radio**
- Includes wiring and hardware—sold as a pair



Heavy Duty SVL Rear Observation Display 77700-06159

- Fortified, anodized metal structure
- Two camera inputs
- Can display live or with card reader
- Display includes:
 - Durable 5.6" Monitor
 - Waterproof Camera
 - USB/Card Reader
 - Monitor Mount
 - Harness and Hardware
 - Full-color graphic listing features of all product on display

Why Promote Battery Maintenance?

"The Average battery life has become shorter as energy requirements have increased. Life span depends on usage; 6 months to 48 months, yet only 30% of all batteries actually reach the 48-month mark"! To keep your lead acid battery in top condition for many years, use an OptiMATE battery charger!

Why OptiMATE Battery Chargers?

1. **TESTS** battery condition at connection, decides optimal charge method, then charges.
2. **EQUALIZES BATTERY CELLS** with a unique pulsing method, brings each cell to full charge for guaranteed 100% battery performance!
3. **SAVES "DEAD" BATTERIES** other chargers can't from as low as 1/2 a Volt. Proven controlled desulphation program for off vehicle battery saving and safe low volt recovery program for on vehicle battery reconditioning
4. OptiMATE Chargers use a **UNIQUE MAINTENANCE PROGRAM** 24/7 for safe maintenance. Checks charge level hourly, delivers exact charge to keep battery at 100% and support 'always on' vehicle circuitry. Soft pulse prevents sulphation build-up.

BATTERY CHARGERS FOR 12V BATTERIES

including STD 'wet cell' with filler caps, 'dry charged' AGM, factory activated AGM and GEL lead-acid

OptiMATE 1 — 12V 0.6A 72000-02721

OptiMATE 1 delivers precise micro processor controlled charging & long term maintenance. Maintain any 12 volt lead-acid battery, sealed AGM (MF) or GEL. Ideal for vehicles that are seldom or seasonally used, or in storage. The OptiMATE maintenance program delivers only what the battery needs, never overcharges, never undercharges.



OptiMATE 2 Global, 4-step 12V 0.8A Battery Charger-Maintainer 7200002843

OptiMATE 2 is fully sealed. It senses the battery condition, recharges and then keeps the battery 100% ready. The OptiMATE maintenance program delivers only what the battery needs, never overcharges, never undercharges.



OptiMATE 3 — 12V 0.8A 72000-02722

The OptiMATE 3 is the most trusted charger in the business, saving, charging and maintaining batteries since 1995. The latest version includes a 7-step program that recovers sulphated batteries and then tests after charging. The '365' maintenance program delivers only what the battery needs, never overcharges, never undercharges.

OptiMATE 5 Start/Stop, 6-step 12V 4A Battery Saving Charger- Tester-Maintainer 7200002924

OptiMATE 5 the perfect all-rounder with 4 Amps of charging power, saves low volt batteries from as low as 2V and will then charge and maintain the battery, all automatically. Perfect for months-long maintenance of any size 12V lead-acid battery from 15 up to 192Ah — deep cycle, automotive (also EFB batteries — start/stop systems), marine, cruiser motorcycle, UTV/side-by-side.



OptiMATE 6 — 12V 5A 72000-02723

The world's most advanced fully automatic 12V battery charger! OptiMATE 6 saves batteries other chargers can't, because it recognizes the difference between a discharged battery that needs charging and a dead flat sulphated battery that needs saving. Perfect for months-long maintenance of any size 12V lead-acid battery — deep cycle, automotive, marine, construction, agriculture.



Permanent Battery Lead Cable

- 1/4" ringlet with moulded sleeve
- 15A auto fuse
- Premium SPT-2W cable rated down to -40°F



Part No.	Description.
72000-02724	1/4" eyelet
72000-02725	JAR (20 pieces) 1/4"
72000-02726	3/8" eyelet
72000-02727	JAR (20 pieces) 3/8"

State of Charge Monitors

1/4" Rings 7200002926
5/16" Rings 7200002927

- Battery lead with rings, 15A fuse and SAE connector
- With integrated battery fuel gauge & charge system monitor
- Battery charge level—LED matching charge level blinks every 3 seconds (long term draw less than 0.2mA)
- Vehicle charge system—LEDs indicate if charge voltage exceeds minimum 13.5V or ideally 14V or more



7200002927



7200002926

10W OptiMATE Solar Charger 7200002925

OptiMATE Solar Charge & Monitor system, the smart 24-7 battery care solution powered by the sun. The CHARGE-MONITOR controller included with the panel will CHARGE (day) — 6 STEP charging program includes save from 1V and OptiMATE maintenance. MONITOR (night) — 3 light monitor indicates battery charge status. Information used to continue charging the next day.



12V Tester for Battery State of Charge, Cranking Performance and Vehicle Charging System 7200002928

The 3-in-1 pocket tester for service technicians; test and share with the customer battery health and vehicle charging performance.



- 1 - Indicates charged volt status. A poorly charged battery will deliver poor cranking.
- 2 - Cranking health test — memorizes lowest volts during cranking, indicates result for 20 seconds.
- 3 - Alternator / charging system voltage check. Too low charge voltage affects performance, too high affects life.

6/12 Volt Battery Charger 77700-02136

- Slide switch for 6 volt or 12 volt battery
- Fully automatic, portable and lightweight
- Reverse polarity and short circuit protection



Rotating Electric Starters & Alternators

- Kubota Canada offers a wide selection of aftermarket starters and alternators as a second line option to the original OEM product
- All alternators and starters are NEW not remanufactured
- No core tracking or handling required
- All units are made in Canada
- Alternators validated to exceed 5,000 hours of service
- Starters validated to exceed 28,000 cycle starts
- Performance verified - 100% computerized testing during production
- See your local Kubota dealer for fitment applications



Part No.	OEM #	Fitment Cross-Reference	Product
7200002881	3C08174012	3C081-74010 3C081-74011	Alternator
7200002879	3C58174012	3C581-74010 3C581-74011 3C581-74012	Alternator
7200002886	1670564012	16705-64011 16705-64012	Alternator
7200002886	5H73042502	34070-75600 34070-75601 34070-75602	Alternator
7200002871	T1850-15682	T1850-15680 T1065-15682 T1065-15680 T1065-15600 T1850-15680	Alternator
7200002872	K7561-61913	K7561-61910	Alternator
7200002883	1525364013	15253-64010 15253-64011 15253-64012 15621-64010 15621-64011	Alternator
7200002883	1576364013	15763-64010 15763-64011 15763-64012	Alternator
7200002884	1541164012	15321-64012 15411-64010 15411-64011 15606-64010 15606-64011	Alternator
7200002885	1624164013	16241-64010 16241-64011 16241-64012	Alternator
7200002885	1623164013	16231-64010 16231-64011 16231-64012	Alternator
7200002873	T1060-15683	T1060-15680 T1060-15682	Alternator
7200002873	3A01174013	3A011-74012 T1060-15680 T1060-15681 T1060-15682	Alternator
7200002891	1523163015	15231-63012 15231-63013 15231-63014 15231-63015 15231-63016 15231-63017	Starter
7200002891	1585263014	15852-63010 15852-63011 15852-63012 15852-63013	Starter
7200002898	6C14059214	6C140-59210 6C140-59211 6C140-59212	Starter
7200002900	1G772-63012	1G772-63010	Starter
7200002900	1C01063013	1C010-63010 1C010-63011 1C010-63012	Starter
7200002899	1G06963010	1G069-63010 1G069-63011 1G069-63012	Starter
7200002899	1G02363010	1G023-63010 1G023-63011	Starter
7200002888	K757196800	K7571-61811 K7571-96800	Starter
7200002896	1546163010	15461-63013 15461-63014 15461-63015	Starter
7200002896	1734163010	17341-63010 17341-63013 17341-64015	Starter
7200002876	16285-63010	--	Starter
7200002876	15504-63010	15741-63010	Starter
7200002876	1926963010	19269-63010 19269-63012 19269-63013	Starter
7200002897	1562163012	15621-63012 15621-63013 15621-63014 15621-63015	Starter
7200002894	1731163010	17311-63010 17311-63014	Starter
7200002894	3407016800	34070-16081 34070-16083 34070-16800 34070-16801 34070-16802 34070-16803	Starter
7200002877	K7571-96810	--	Starter
7200002889	T115016800	T1150-16800 T1150-16801	Starter
7200002890	K771196800	K7711-61811 K7711-96800	Starter
7200002890	K771196810	K7711-61811 K7711-96810	Starter
7200002878	15425-63010	--	Starter
7200002887	1712363016	17123-63013 17123-63016	Starter



Kubota offers a wide selection of NGK spark plugs and glow plugs to fit most applications from small to large engines. See your local Kubota dealer for complete product availability



RTV Tow Strap

- 77700-08977**
- 1-1/4" X 12' tow strap with loops and shackle
 - 5,000 lbs. break strength
 - Forged shackle
 - Reinforced attachment loops



NEW

D-Rings

- Easy bolt on installation



NEW

Part No.	Description	Capacity
77700-08979 (4 pk)	Light Duty Surface Mount	1,200 lbs.
77700-08980	Medium Duty Surface Mount	5,000 lbs.
77700-08981	Weld On	15,000 lbs.
77700-08982	Weld On	20,000 lbs.



Cargo Net

- 77700-08978**
- 34" x 34" — stretches to 60" x 60"
 - Heavy duty plastic hooks prevent scratching
 - Finger holes in hooks for safety and easy hook up
 - Weather resistant
 - Secures odd, bulky shapes
 - Adjustable hooks
 - Fits most UTV/RTV Bed Boxes

Cable Ties

- Superior performance
- Higher tensile strength
- Low insertion force
- Outdoor UV rating
- Made in the USA



NEW

Part No.	Length	Rating	Qty/bag	Color
77700-08983	7.6"	50 lb. / 222.5 Newton	100	Black
77700-08984	11.1"	50 lb. / 222.5 Newton	100	Black
77700-08985	14.6"	50 lb. / 222.5 Newton	100	Black
77700-08986	15"	120 lb. / 533.7 Newton	100	Black
77700-08987 (Mount Head)	8"	50 lb. / 222.5 Newton	100	Black
77700-08988	24"	175 lb. / 778.4 Newton	50	Black
77700-08989	7.6"	50 lb. / 222.5 Newton	100	Orange

Cargo Straps

- Thermoplastic rubber handles molded onto frames
- Weather resistant and corrosion resistant hardware finished with zinc and nickel plating or powder coating
- Cut and abrasion resistant webbing is woven from high tensile strength polyester that performs better than nylon



77700-03176



77700-03177

Heavy Duty Ratchet Tie Downs

Part No.	L x W	Hook Style	Handle Style	Break Strength	Work Load
77700-03176	27' x 2"	JJ Hook	Bar Handle	10,000 lbs.	3,300 lbs.
77700-03177	27' x 2"	Flat Hook	Bar Handle	10,000 lbs.	3,300 lbs.



77700-03169



77700-03175



77700-03178

Standard Duty Ratchet Tie Downs

Part No.	L x W	Hook Style	Handle Style	Break Strength	Work Load
77700-03169	16' x 1"	S Hook	Small Bar Handle	1,500 lbs.	500 lbs.
77700-03175	16' x 1.5"	JJ Hook	Sure Grip Handle	5,000 lbs.	1,666 lbs.
77700-03178 (2 pk)	6' x 1"	S Hook	Small Bar Handle	1,800 lbs.	600 lbs.

Heavy Duty-Adjustable



Heavy Duty-Standard

Heavy Duty Tarp Straps

- 24" and 36" tarp straps feature patented molded stirrup holes for adjustable length
- Weather and crack resistant natural rubber
- Versatile strap with high elasticity holding power
- Outlasts standard straps by over 30%

Part No.	Length	Adjustable
77700-03653	9"	
77700-03654	15"	
77700-03655	21"	
77700-03656	24"	✓
77700-03657	31"	
77700-03658	36"	✓
77700-03659	41"	

Tarp Strap S-Hooks

- 77700-03660**
- Four pack replacement hooks
 - 5 mm S-hooks for tarp straps and adjustable tarp straps
 - Strong and durable zinc coated finish



Mountable Shop Towel Bucket

77700-02460
Refill 77700-03672

- All new & exclusive optional dispenser mount
- Easily carried for remote use and can also be placed into the wall mount for both local usage and storage
- 200 count, 10" x 13" each (180 sq. ft. total)
- Refill features water resistant packaging with peel and reseal top and cardboard dispensing disk



Refill

Tool Box Creeper

77700-04749

- Professional grade—rated at 450 lbs. vs. retail grade rated for 300 lbs.
- 3" heavy duty, non-marking, oil-resistant, ball bearing casters
- Extra thick seat cushion for operator comfort

- Three full suspension drawer slides with one top lock
- Front and back tool trays
- 14" x 14" x 15"



Two Position Z Creeper

77700-04748

- Easily transforms from creeper to shop seat in seconds—no tools required!

- Professional grade—rated for 450 lbs. vs. retail grade rated for 300 lbs.
- 3" heavy duty, non-marking, oil-resistant, ball bearing casters
- 41-1/4" x 19-5/8" x 6-1/8"



Air Comb® Filter and Radiator Cleaners

12" 77700-06205
24" 77700-03394
36" 77700-03395

- Flush 90° multi-port air flow
- Delivers 5X the air volume
- 1/4" NPT air inlet
- Access hard-to-reach areas
- Fits between radiator and condenser
- Safe on all air filters



Five ports deliver efficient air flow

Blow Guns

24" / 609,5 mm 77700-03392

48" / 1 219 mm 77700-03393

- Zinc-alloy body with satin finish
- Aluminum nozzle with durable oxidized finish
- 1/4" NPT air inlet
- 90 PSI working pressure / 150 PSI maximum working pressure
- Convenient angle design for hard-to-reach areas



Dual-Purpose Flashlight/Worklight

77700-08994

- Strong holding magnet and foldable hook for hands free use
- 200 lumen ultra bright COB technology
- Use as a spot light or work floodlight
- Adjustable to 180 degree angle
- Durable molded frame resists shock, water/weather resistant



Flex-Light Flashlight/Worklight

77700-08995

- Strong holding magnet and foldable hook for hands free use
- Convenient pocket size
- 200 lumen ultra bright COB technology
- Adjustable to 180 degree angle
- Durable molded frame resists shock, water/weather resistant



LED Pocket Pen Flashlight

77700-06342

- Generates 90 lumens of light
- 1 watt LED bulb
- Convenient pocket clip and durable aluminum chassis
- Includes 2 AAA batteries
- Dimensions: 1/2" diameter, 5.5" length
- Shock proof and drop test resistant



28 LED Flashlight


77700-04774

- 4 LED spot lights
- 24 LED bright flood lights
- Magnetic back plus a fold out hanging hook
- Ultra bright and compact

5 LED Magnetic Clip Light

77700-05373

- **30% brighter!**
- Ultra bright and compact
- Ideal for small or tight spaces
- Magnetic back and handy clip for hands free use



LED Compact Floodlight

77700-06343

- Tough anodized aluminum case for durability
- Water and corrosion resistant
- Shatter resistant lens
- High output LED rated at 150 lumens, up to 100,000 hours of continuous service
- 100' visibility distance




Power Spray Nozzle 77700-09002

NEW



- Smooth action lever handle for switching off/on
- Durable zinc and rubber construction resists corrosion
- Attaches to any garden hose
- Spray configurations:
mist shower jet



12" Adjustable Wrench 77700-09004

NEW



- Versatile, large jaw capacity up to 1-11/32" (34 mm)
- Durable chrome molybdenum alloy steel
- Steel jaws hold their grip
- Adjustable thumb wheel accommodates standard or metric sizes

27 Piece 3/8" Drive 6 Pt. SAE Socket Wrench Kit 77700-05540

- Includes: 13 Standard Sockets: sizes 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 11 Deep Sockets: sizes 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 3/8" Drive Ratchet, 3" Extension, 6" Extension



25 Piece 3/8" Drive 6 Pt. Metric Socket Wrench Kit 77700-03680

- Includes: 10 Standard Sockets: sizes 10-19 mm, 10 Deep Sockets: sizes 10-19 mm, 16 mm (5/8") Spark Plug Socket, 21 mm (13/16") Spark Plug Socket, 3/8" Drive Ratchet, 6" Extension, 3" Extension



NEW

Heat Shrink Tube Kit 77700-09003



- 171 pieces
- 2:1 shrink ratio
- UL approved polyefin heat shrink tubes
- Operating temp.: -67°F to 257°F
- Shrink temp.: starts at 158°F - ends at 230°F
- Maximum electrical rating: 600 volts

NEW

Dual-Bladed Mower Scraper 77700-08990



- Clean mower deck for a better cut and healthier lawn
- Longer deck life - helps prevent rust
- Flat or round blade
- Attaches to pole for lawn tractors

1/2" Drive x 30 mm Standard Socket 77700-03678



- Meets and exceeds ANSI standards
- Fits most mower blade bolts
- Chrome vanadium

1/2" Drive x 30 mm Heavy Duty Impact Socket 77700-03679



- Meets and exceeds ANSI standards
- Fits most mower blade bolts
- Black chrome molybdenum

Retractable Utility Knife 77700-02485

- Quick change blade mechanism
- Smooth retracting/locking blade advance
- Includes three replacement blades



25' Dual Rule Tape Measure 77700-02481

- Tough, impact resistant plastic case
- Easy-to-read tape markings in inches and centimeters
- Hands-free blade lock



25 Piece Hex Key Set 77700-02486



- Pivot style release feature allows removal of any key without moving adjacent keys out of the way first
- SAE inch sizes: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8
- Metric sizes: 1.27, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10

High-Torque Ratchet Driver 77700-02484



- Stainless steel shaft with powerful magnetic pivoting tip
- 3-way reversible ratcheting action
- Convenient storage in handle includes 1/4" socket adapter and 10 screwdriver bits in most popular sizes: 4 slotted - 5/32", 3/16", 1/4", 9/32", 3 Phillips - #1, #2, #3, 2 star - T15, T20 and 1 square - R2



Pliers

- Zinc plated construction resists corrosion
- Drop forged and heat treated for strength and durability

Part No.	Description
77700-04741	6-1/2" Slip Joint Pliers
77700-04742	8" Slip Joint Pliers
77700-04743	10" Adjustable Pliers
77700-04744	POP Display Kit
77700-04745	8" Leather Plier Holder



77700-04741 77700-04743 77700-04742 77700-04745

12-in-1 Multi-Purpose Tool

- Closed: 4.1" Open: 6.6"
- Stainless steel blades
- Includes carrying case
- Tools: Philips screwdriver, pliers, wire cutter, knife serrated blade, 2 knives, can opener, 2 sided file, bottle opener and 2 slotted screwdrivers



Stainless Steel Scraper

- Rigid stainless steel go-thru blade with metal capped handle for strength and durability

- Comfortable TPR handle for maximum grip



Magnetic Parts Tray

- 4-1/4" corrosion resistant stainless steel dish
- Rubber covered magnetic base

Folding Knife

- Closed: 3.9" Open: 6.3"
- Stainless steel blade



14" x 6-1/4" Magnetic Tray

- Corrosion resistant stainless steel tray
- 3 powerful permanent magnets



New Genuine Parts Signs

- Size 12"x 16"
- Heavy duty tin
- Digitally printed

Telescoping Magnetic Pickup Tool

- Telescopes from 6-1/2" to 33"
- Powerful 5 lb. magnet features shielded sides for targeted pickups



4GB USB Drive

- Kubota branded 4GB thumb drive



4/5 Pin Harness Checker

- Great for tracking truck and trailer lighting functions
- Each LED light corresponds to the circuit being energized
- Plugs in-line with truck and trailer
- Easy to connect ground terminal for trailer lighting setup



7 Flat Pin Circuit Tester



- Quickly tests and troubleshoots truck and trailer electrical circuits and connectors
- Plugs into truck side trailer harness
- LED lights indicate each circuit is complete and the current is getting to the plug

Towing Kits

- Quickly test, clean and repair truck and trailer connectors
- Extends the life of the harnesses
- Promotes safety and limits road hazards
- Cleaning tools remove corrosion and re-size terminals to proper dimensions
- Includes cleaner/re-sizer, DeoxIT® Restore/Enhance and harness tester



77700-03673



77700-03881



77700-03675

Part No.	Pin Style	Application
77700-03673	6 Round	Light and medium duty truck, RV and trailer
77700-03674	7 Flat (Spade)	Medium duty truck, SUV and trailer
77700-03675	7 Round	Heavy duty tractor and trailer
77700-03881	4/5 Pin	Cars and trucks, agricultural, industrial, landscaping, contracting, sporting, and fleet connections



77700-03674



Heavy Duty Tire Pressure Gauge

77700-08991

- Steel case with polished brass bezel and 2" dial
- Fully geared brass movement
- 0-60 PSI
- 10" extension hose for tough to reach valve stems



Pencil Tire Gauge

77700-02468

- For use with air service only
- Reads from 5 to 45 PSI
- Easy-to-read, four sided nylon scale is in 2 PSI increments



Dial Tire Gauges

- Steel case with polished brass bezel and 2" dial
- Full geared, precision movement with bronze bourdon tube
- Not affected by changes in temperature, humidity or altitude

Part No.	PSI Range
77700-03676	0-30
77700-02469	0-100



First Aid Kit

77700-02459

- 65 piece kit
- Rust-proof, durable polypropylene case
- Fits in vehicle glove box or can easily be wall-mounted
- Inner gasket seals out moisture so contents stay dry and ready to use



Slow Moving Vehicle Signs



- 14"H x 16"W, made with high-intensity, micro-prismatic reflective and fluorescent materials
- ASAE (S276.6) approved and State of Illinois compliant
- Complete, easy to install hardware kit available for mounting (77700-03391—purchase separately)

Part No.	Material	Thickness
77700-03388	Aluminum	.04"
77700-03389	Plastic	.80"
77700-03390	Adhesive	-
77700-03391	Mounting Kit	-

Hard Hats

- Unique, smooth crown protects from the danger of falling objects
- Convenient rear-located mechanism used to adjust the head size for comfort
- 360° removable, perforated and padded sweatband that keeps you cool
- SEI certified to meet ANSI Z89.1-2003 Type 1, Class E, G or C



Part No.	Description
77700-05367C	Orange with CE imprint
77700-05374C	Orange with Oval K logo

Deluxe Wheel Spinner

77700-01540

- For effortless turning of tractors and other off-road equipment
- Clamp securely grips all wheels up to 1-1/4" thick
- Comfortable ergonomic handle with smooth spinning design
- Split base design for easy mounting



Heavy Duty Mechanic's Gloves

- Reinforced palm patches for extra protection
- Silicone anti-slip fingertips for extra grip
- TPR back of finger protection against impact & pinches
- Adjustable wrist tab keeps out dirt

Part No.	Size
77700-07910	Medium
77700-07911	Large
77700-07912	X-Large

NEW



Touchscreen Mechanic's Gloves

- Touchscreen fingertips
- Durable palm is protective and long lasting
- Padded palm reduces fatigue
- Adjustable wrist tab keeps out dirt

Part No.	Size
77700-07907	Medium
77700-07908	Large
77700-07909	X-Large

NEW



Suede Lined Work Gloves

- Super comfortable lined suede cowhide leather gloves
- Plush lining keeps your hands warm on cold days
- Self-hemmed with shirred elastic back for fit and great durability

Part No.	Size
77700-02464	Large
77700-02465	X-Large



Palm Dipped

- Cut, puncture and abrasion-resistant palm
- Breathable knit back
- Ergonomic, form-fitting design
- Great grip on wet surfaces

Part No.	Size
77700-05371	Large
77700-05372	X-Large



NEW

Winter Lined & Waterproof Touchscreen Gloves

- Waterproof & breathable lining keeps out moisture
- Touchscreen fingertips
- 3M Thinsulate lining keeps hands warm
- Durable palm is protective and long lasting

Part No.	Size
77700-07913	Large
77700-07914	X-Large



Mechanics Gloves

- Durable synthetic leather palm
- Breathable form-fitting spandex back
- Slip-on style cuff for easy on, easy off
- Comfortable shirred elastic on front and back
- Machine wash, air dry

Part No.	Size
77700-03396	Women's Medium
77700-03154	Medium
77700-03155	Large
77700-03156	X-Large
77700-03646	Women's Medium (Pink)



77700-03646

Large Orange Knit Gloves

- PVC grip dots on palms
- Heavyweight cotton/polyester blend
- Elasticized wrist



Leather Work Gloves

- Comfortable, rugged protection
- Soft-tanned cowhide grain leather
- Tailored keystone thumb for greater flexibility
- Shirred elastic back stitching for best fit



Leather/Canvas Gloves

- Suede cowhide leather fingertips, palm and knuckle strap
- Elastic back and rubberized safety cuff
- One size fits all



Part No.	Size
77700-02461	Women's Medium
77700-02462	Men's Large
77700-02463	Men's X-Large

Powder-Free 6 mil Nitrile Gloves

- Breakthrough pH5.5 technology made to match healthy skins natural pH5.5 levels to ensure the most comfortable fit yet
 - Unique formulation reduces excess perspiration
 - Quadruple washed—no excess chemicals lingering on glove
- Super strength and stretch—no more tearing
- Fully textured grip

Part No.	Description
77700-04747	Orange Lightning - Medium
77700-04771	Orange Lightning - Large
77700-04772	Orange Lightning - X-Large
77700-04773	Orange Lightning - XX-Large
77700-04746	Black Lightning - Medium
77700-04497	Black Lightning - Large
77700-04498	Black Lightning - X-Large
77700-04499	Black Lightning - XX-Large



NEW



40 Gallon Trailer Sprayer

- 77700-08962**
- Heavy duty frame
 - 5 nozzle boom
 - Chemically-resistant polyethylene tank
 - 2.2 GPM pump
 - 60 PSI gauge
 - Deluxe 18" sprayer wand
 - Heavy duty wand clips
 - Adjustable relief with gauge
 - 3 piece folding adjustable boom
 - Wide tires

NEW



25 Gallon RTV Sprayer

- 77700-08963**
- 3 nozzle boomless spray pattern allows for 140" of coverage
 - Chemically-resistant polyethylene tank
 - 2.2 GPM pump
 - 60 PSI gauge
 - Deluxe 18" sprayer wand
 - Adjustable relief with gauge

NEW



40 Gallon All Makes Hitch Mount Sprayer

- 77700-08964**
- Unique 2" receiver mount boom provides 300° of adjustability
 - 7 nozzle breakaway boom
 - Nozzles include check valve
 - Chemically-resistant polyethylene tank
 - 2.2 GPM pump
 - 60 PSI gauge
 - Deluxe 18" sprayer wand
 - Adjustable relief with gauge



Portable Sprayers

- Handle action piston pump
- Large mouth for easy filling
- Single conical spray tip
- Pressure relief valve
- 8L (77700-03398) features a 23" trigger lance with an ergonomic handle and easy-to-use spot spray wand



77700-03397



77700-03398

Part No.	Capacity	Max. PSI
77700-03397	0.53 Gallons	10
77700-03398	2.1 Gallons	43

Backpack Sprayer

- 77700-03399**
- 4.25 gallons (16 liters)
 - Develops 15-90 PSI
 - Quick fitting harness and padded straps
 - 4 spray tips
 - Wide-mouth lid
 - Lever action piston pump
 - Available spare parts kit
 - Quality seals and built-in screens
 - Lance clip and carry handle
 - Ideal for insecticides, fertilizers, herbicides and disinfectants



NEW



60 Gallon 3-Point Sprayer

- 77700-08965**
- 6 roller pumps with torque arm and quick coupler
 - 7 nozzle breakaway boom
 - Nozzles include check valve and quick caps
 - Heavy duty frame with skid plates
 - Chemically-resistant polyethylene tank
 - 100 PSI gauge
 - Deluxe 18" sprayer wand
 - Adjustable relief with gauge
 - Forward mounted on/off valve with protected gauge and plumbing

Kubota Standard & Loaded Rack

- The BIGTOOLRACK® tractor attachment adds valuable cargo space
- Ideal mobile storage system...no more running back to the tool shed
- Haul your tools and supplies safely and secure to your worksite
- Easy and convenient 3 point hitch attachment, and trailer tow feature
- Heavy duty wheels for easy rolling and storing
- Heavy duty steel construction with durable powder coat finish
- Maximum cargo capacity of 600 lbs
- Active tailgate
- Rack Dimensions: L: 54" x W: 35.5" x H: 45.75"

Standard Rack 77700-08996

Please order this item under the DDS order tab

• Accessories included:

- 2 universal tool holders with rubber straps
- 2 hand tool holders (4 hole)
- 4 storage bins—2 large for side, 2 regular for back
- 2 drop down lumber carriers
- Deluxe wheel caddy kit
- Rubber cargo liner
- All pins and hardware

Loaded Rack 77700-08997

Please order this item under the DDS order tab

• Accessories included:

- 3 universal tool holders with rubber straps
- 2 hand tool holders (4 hole)
- 4 storage bins—2 large for side, 2 regular for back
- 2 drop down lumber carriers
- Deluxe wheel caddy kit
- Rubber cargo liner
- All pins and hardware
- 2 drop down universal holders
- 1 counter weight bracket
- 1 chainsaw holder
- 1 grass trimmer holder



Kubota Poly XPHD

77700-08998 *Please order this item under the DDS order tab*

- Bed is constructed of durable rotomolded HDPE double wall plastic - built to last and will never rust
- The body also has drain holes in it so it will not fill with water
- Powder coat finish on upright bar, compatible with many BIGTOOLRACK® accessories
- Maximum cargo capacity of 600 lbs. with 3-point hitch setup
- 3-point hitch connector comes standard with our suitcase weight bracket that holds up to six 30 lb. suitcase weights (weights not included)
- 3-point model comes standard with our convenient tow feature
- Rack dimensions: L: 48" x W: 46" x H 39"
- Accessories included:
 - 1 drop down hook
 - 1-4 hole tool holder
 - 1 universal tool holder with rubber strap
 - 1 counter weight bracket
 - All attaching hardware



Deluxe RTV Cargo Box

77700-08760

- Requires two pairs of KAS Clamps (K7811-99560) and one Mounting Bracket (77700-V0838) (must be ordered separately)
- Kubota engineering designed and approved Deluxe RTV Bed Box features 4.5 cu. ft. of cargo capacity
- Tough and durable polyethylene construction resists corrosion, water and dust
- Lockable latches to secure your cargo
- Easy-to-lift covers with lock in detents providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Fits RTV-X900, RTV-X1100C, RTV-X1120D, RTV-X11140D



36" Professional 5 Drawer Extra Capacity Service Box

77700-06140

- Outer dimensions: 36"W x 25.5"D x 29"H
- 16/18 gauge steel construction with specially engineered frame and handles that make it easy to slide and move service box
- 5 big reinforced drawers with quiet ride foam liners: 2 deep (30.84"W x 20"D x 4.5"H) and 3 standard size drawers (30.84"W x 20"D x 2.125"H)

Kubota 31" Tool Cart

77700-08999

- 31" wide x 19.125" deep x 39.5" high
- Heavy duty 14 gauge steel frame
- Two gas struts support lid
- Interior storage for hanging tools—pry bars, extensions, etc.
- Huge storage area under lid
- Central locking system allows drawers to open even when lid is raised
- Drawers use ball bearing slides
- Drawers load rated 75 lbs. per drawer
- (4) 5" x 1.5" locking swivel casters



30" RTV Road Box

77700-03643

- 30.75"W x 20"D x 20.5"H—fits all Kubota RTV's
- Heavy duty 18 gauge steel construction with welded seams
- Power tool rack with built-in 3 outlet/2 USB power strip
- Organizes all of your essential tools: 35 combination wrench pegs, 48 screwdriver/nut driver slots/holder, 186 - 1/4", 3/8" & 1/2" deep and standard socket pegs (SAE & metric) with room for some impact sockets
- Under socket panel: shelf for smaller tools, power tool rack with built-in power strip and 2 USB ports, additional storage space for small tools
- Lockable lid secures tools in place when closed

26" 7 Drawer Top Chest

77700-07230

26" 5 Drawer Roller Cabinet

77700-07240

- **Top chest now features 7 drawers, instead of 4!**
- Heavy duty steel construction with four **5" x 2" casters** (2 locking swivels & 2 rigid)
- Drawers feature ball bearing glides with a load capacity of **75 lbs. per drawer** and 100 lbs. per drawer with double glides

Part No.	Width	Depth	Height
77700-07230	26"	16"	18"
77700-07240	26-1/2"	18"	37"



41" 8 Drawer Top Chest

77700-03172

41" 11 Drawer Roller Cabinet

77700-03173

- Heavy duty 14 gauge steel frame and 18 gauge steel sides with four 5" x 2" casters (two lockable swivels and two rigid)
- Drawers feature ball bearing glides with a load capacity of 100 lbs. per drawer and 200 lbs. per drawer with double glides

Part No.	Width	Depth	Height
77700-03172	41"	17-3/4"	21-3/8"
77700-03173	41-1/2"	18"	40-1/2"



24" 3 Drawer High-Impact Plastic Hand Box with Steel Drawers

77700-03640

- 24"W x 10-1/2"D x 13-1/2"H
- Rugged high-impact polypropylene will not rust, dent, corrode or mar surfaces
- Steel drawers with 25 lb. capacity



20" High-Impact Plastic Hand Box with Tray

77700-03641

- 20"W x 10.3"D x 9"H
- Rugged high-impact polypropylene will not rust, dent, corrode or mar surfaces



20" Traditional Steel Hand Box with Tray

77700-03642

- 20"W x 8"D x 9"H
- Durable metal construction with powder coat finish and ergonomic handle





Selecting the right machine that fits you and the jobs you need to get done.

The Kubota pressure washer product line offers a high level of productivity with rugged designs that are engineered to meet the needs of the most demanding users.

Built to withstand the rigors of the toughest jobs—careful consideration has been given in selecting each component. Every product design is crafted and calibrated to deliver the durability and reliability you expect.

- Residential:** 1-2 hours weekly duty—10 to 20 weeks per year. Ideal for lighter duty work, for example, residential cleaning tasks, automotive, all-terrain vehicle, lawn mowers, recreational vehicle, etc.
- Commercial:** 5-15 hours weekly duty—50 weeks per year. Designed for light to medium duty work on the farm, in a mechanical workshop, or small business.
- Industrial:** 15-20 hours weekly duty—50 weeks per year. Designed for heavy duty work, like cleaning fleet of trucks, farm buildings, heavy equipment, industry, car wash, cleaning contractor.

Target Markets: Each icon identifies the target use for each model of pressure washer.



Please order all pressure washers items under the DDS order tab

Durable & Maneuverable Power

The roll cage design protects all the critical components and ensures the machine is easy to handle and store. A durable powder coated frame with fold down handle make it easy to strap into a pick up or utility vehicle.



JET2536E Electric 77700-06379



- This quiet powerful electric cold water pressure washer is specifically designed for commercial industrial application.
- Featuring automatic start/stop control system (SSC) combined with low rpm industrial motor that extends the longevity of the pump and components

Electric motor.	5.75 HP	GPM	3.6
Volts	240	Impact Force	9.5 lb
Phase	1	Hose	50 feet
Amperes	24	Nozzle Orifice.	04.5
rpm	1750	Electrical cord	23 feet
Comet pump.	RW, crankshaft	Weight	200 lb
PSI.	2500		

JET3500 77700-05676



- A reliable commercial gas powered machine perfect for cleaning construction/agriculture equipment, buildings, vehicles and operations

Engine	EX 40	Oil Alert Protection.	Yes
Comet pump.	Crankshaft	Thermal Protection.	Yes
RPM	3450	Hose	50 feet
PSI.	3500	Nozzle Orifice.	0.40
GPM	4	Weight	154 lb
Impact Force	12.4 lb		



JET Series Standard Equipment

- Durable roll cage frame with 10" tires
- Triplex direct drive pump with 3 ceramic plungers
- Hose with quick disconnect couplers
- Soap injection with regulator
- Spray gun with 36" insulated wand
- 4 quick disconnect spray tips, rinse: 15, 25 & 40°, soap: 65°



Handle Safety Lock



Folding Handle

Two durable machines built to meet your project needs.

CAGE Extra-Duty 77700-03318



- The extra-duty series is built to work on tough commercial jobs. Featuring durable precision ceramic triplex pump featuring:
- Anodized aluminum die cast crankcase direct drive pump with three ceramic plungers highly resistant to corrosion and abrasion
- Forged brass head—highly mechanical resistant to corrosion
- Internal kinematics—high quality oversized bearings that ensure long durability
- Exclusive—self-lubricating double packing system design provides exceptional packing life
- Adjustable unloader—detergent injector



Wheel kit shown is optional

Engine	EX 17	Oil Alert Protection	Yes
Pump	Direct Drive Triplex	Thermal Protection.	Yes
RPM	3,450	Hose	25 feet
PSI	2,500	Nozzle Orifice.	0.30
GPM	2.7	Weight	70 lb
Impact Force	7.1 lb		

CAGE Tough Duty 77700-05675



- Ideal for residential to light duty commercial jobs, featuring performance axial pump that includes:
- Built-in uniflow unloader and chemical injector
- Built-in Easy Start
- Stainless steel plungers and check valves
- Forged brass manifold
- Patented ball bearing design



Engine	SP 170	Oil Alert Protection	N/A
Pump	Axial	Thermal Protection.	N/A
RPM	3,450	Hose	25 feet
PSI	2,500	Nozzle Orifice.	0.30
GPM	2.5	Weight	67 lb
Impact Force	7.1 lb		

Optional Equipment


Portable Hose Reel 77700-05674

- Manual hose reel mounted on a ball-bearing mechanism
- Can be hooked directly on the CAGE frame
- Ergonomic carrying handle



Wheel/Handle Kit 77700-05767

- Simple and durable design
- Adapts quickly to existing frame—no need to drill holes
- Remains stackable
- Collapsible swivel handle folds in behind frame



Geyser G2132G 72000-02750



- Cleans up to 50% faster than cold water units
- Rear swivel 10" wheels, featuring locking brake hub
- Never flat rubber tires with ball bearing wheels provide a low roll resistance, making it easy to maneuver the machine
- Centralized lifting hook ensures the unit is perfectly balanced when loading
- The engine is calibrated at 3,450 RPM to run in harmony with the direct drive ceramic plunger crankshaft pump



Engine	EX21 Subaru
Electric Start.	N/A
Charging System	200 W
12 V Battery.	Yes
Comet Pump.	LWD Crankshaft
PSI	2100
GPM.	3.2
Impact Force	7.7 lb
Thermal Protector	Yes
Btu/h	320,000
Hose	50 ft
Nozzle Orifice.	0.4.5
Weight	372 lbs

Geyser GD3535G 77700-06100



- Functional industrial frame design mounted on low roll resistance 10" ball bearing wheels with never flat tires
- Rear swivel 10" tires with brake—easy to maneuver
- Centralized lifting hook
- Comet ceramic plunger direct drive crankshaft pump, calibrated with motor at 3,450 RPM
- Soap injection in pressure washer mode
- 100-mesh filter at pump inlet
- 140°F pump thermal protector

Pressure Washer Mode		Weed Killer Mode	
Engine	EX40 Subaru	EX40 Subaru	
Electric Start.	Yes	Yes	
Charging System	200 W	200 W	
12 V Battery.	Yes	Yes	
Thermostat	Yes	Yes	
Comet Pump.	ZWD Crankshaft	ZWD Crankshaft	
PSI	3,500	350	
GPM.	3.5	3.0	
Impact Force	10.9 lb	-	
Thermal Protector	Yes	Yes	
Btu/h	350,000	350,000	
Hose	50 ft	50 ft	
Nozzle Orifice.	0.35	30	

- Pressure gauge for pressure washer mode
- Pressure gauge for weed killer mode with pressure regulator
- Thermometer at heating coil outlet
- Spray gun and 44" totally insulated wand
- Four quick disconnect spray tips for pressure washing: rinse at 15°, 25° and 40°, soap at 65°
- One quick disconnect 2" standard tool for weed killing

Standard Components Include:

- Manual Hose Reel (77700-06102)
- Storage Compartment (77700-06103)

Geyser Series Optional Equipment

Storage Compartment 77700-06103

- Storage compartment for nozzles and personal protection equipment



Hose Reel 77700-06102

- Durable industrial hose reel can accommodate up to 200'




Thunder MH2536EA240

72000-02751



- Powder coated frame featuring centralized lifting point
- S.S.C. - Automatic start/stop control system - temporized function protects the motor and pump
- Control panel with dual safety fuses (protects electrical components, one for the burner/one for the SSC system)
- Adjustable thermostat control (up to 302°F)
- Spray gun and 36" insulated wand
- 6,000 psi heavy duty non-marking grey hose.
- 4 quick disconnect spray tips, rinse: 15, 25 & 40°, soap: 65°

Electric Motor.....	5.75 hp	GPM.....	3.6
Volts.....	240	Impact Force.....	9.5 lb
Phase.....	1	Btu/h.....	285,000
Amperes.....	24	Hose.....	50 ft
RPM.....	1750	Nozzle Orifice.....	04.5
Pump.....	RW Crankshaft	Electrical cord.....	.23
PSI.....	2500	Weight.....	430 lb



Quiet powerful electric motor specifically design for industrial application.

Thunder MH3535G

77700-06104



- Old school machine that gets the job done
- Frame with protection cage on 4 x 10" tires
- Spray gun and 36" insulated wand
- 6,000 PSI heavy duty grey non-marking hose
- Four quick disconnect spray tips, rinse: 15°, 25° and 40°, soap: 65°

Water Heater Features

- Oil-fired burner
- 37 litre polyethylene oil tank with level indicator
- Adjustable temperature by thermostat up to 302°F
- Battery included

Engine.....	EX40	PSI.....	3,500
Electric Start.....	Yes	GPM.....	3.5
RPM.....	3,450	Impact Force.....	10.9 lb
Oil Alert Protection.....	Yes	Thermal Protector.....	Yes
Charging System.....	200 W	Btu/h.....	320,000
12 V Battery.....	Yes	Hose.....	50 ft
Thermostat Control.....	Yes	Nozzle Orifice.....	03.5
Pump.....	Direct Drive Triplex	Weight.....	426 lb

Optional Manual Hose Reel

72000-02763

- Design to fit on Thunder series models. Capacity up to 200' of 3/8" hose
- Includes : manual hose reel, quick couplers, reel bracket, nuts, pump protective shield (installed by the dealer)



Foamer with Integrated Tank

77700-05696

- 2,500-3,000 PSI FKI foamer kit (ideal for use with CAGE & G2535G models only)
- Connects to gun outlet



Chemical Soap Injection Bottle

72000-02762

- Capacity : 4 liters
- Includes mounting bracket and feed tube



Rotary Nozzle with Quick Connect

- Heavy duty brass body and plastic casing
- Increases productivity and cleaning efficiency
- Nozzle and ceramic seat for high impact resistance
- Rated from 1,150-3,650 PSI



Part No.	Orifice	Application	Model
77700-05689	03.5	3,650 psi cold water	CAGE system
77700-05690	04.0	3,650 psi cold water	JET3500
72000-02757	04.5	3,650 psi cold water	JET2536EA
72000-02758	04.0	3,650 psi hot water w/in line filter	GD3535G - MH3535G
72000-02759	04.5	3,650 psi hot water w/in line filter	G2132G - MH2536EA240

Part No.	Length	Max. PSI	Color
77700-05677	25'	3,000	Black
77700-05678	35'	3,000	Black
77700-05679	50'	3,000	Blue
77700-05680	75'	3,000	Blue
77700-05681	100'	6,000	Grey

Steel Braided 1-Ply Pressure Washer Hoses

- 3/8" MNPT
- Includes quick connect fittings with quick connect couplers
- 250°F max. temperature



Steel Braided 2-Ply Pressure Washer Hoses

- 3/8" MNPT
- Includes quick threaded fittings
- 250°F max. temperature



Part No.	Length	Max. PSI	Color
77700-05682	50'	6,000	Grey
72000-02754	75'	6,000	Grey
77700-05683	100'	6,000	Grey
72000-02755	150'	6,000	Grey
72000-02756	200'	6,000	Grey

Linear Flat Surface Cleaner



77700-05691

- 16" cleaning width
- 4,000 PSI max.
- 4.3 GPM max.


72000-02757

- 12" cleaning width
- 3,100 PSI max.
- 3 GPM max.

Rotary Flat Surface Cleaner

77700-05692

- 16" rotating surface cleaner
- Polyethylene drum
- 4,000 PSI max.
- 8 GPM max.
- 2 # 25025 tips



Telescopic Boom

77700-05693

- 18' fibre telescopic wand
- Rated to 4,000 PSI max.
- 8 GPM max.
- Adjustable from 6' to 18'



Boom Harness

72000-02761

- Recommended for use with telescopic boom—reduces operator fatigue



Gutter Cleaner

77700-05694

- Gutter cleaner attachment



Industrial Spray Gun for Cold Water

- Industrial quality with comfortable grip
- Part no. 77700-05687 includes dual lance for rinsing and quick connect fittings



Part No.	Wand	PSI	GPM
77700-05684	36"	2,750	7
77700-05685	36"	5,000	10.4
77700-05687	38" Dual Lance	5,000	10.4

Industrial Spray Gun for Hot Water

- Industrial quality with comfortable grip
- 300°F



Part No.	Wand	PSI	GPM
77700-05686	36"	5,000	10.4
77700-05688	38" Dual Lance	5,000	10.4

Bottle Jacks

- Offers the easiest accessible pumping system
- Unique cross-type forged release valve assures positive control
- Patented built-in by-pass device protects hydraulic system from over pumping damage

Part No.	Capacity	Base Size (L x W)	Min. Height	Max. Height
77700-03503	12 Ton	7" x 4-1/2"	9-1/2"	18-5/8"
77700-03504	20 Ton	7-3/4" x 5"	9-1/2"	18-5/8"



77700-03504

10 Ton Jack Stand

77700-03506

- Medium lift pin-style jack stand
- Base size: 16" x 16"
- Min. height: 18-5/8" / Max. height: 30-1/2"



Magic Lift Service Jacks

- Offers quicker lift for professional performance
- Heavy gauge, steel construction helps prevent distortion and twisting
- Patented built-in by-pass device protects hydraulic system from over pumping damage

Part No.	Capacity	Jack Size (L x W x H)	Min./Max Height	Saddle Diameter
77700-03505	3-1/2 Ton	30-7/8" x 14-7/8" x 7-1/4"	4" / 21-5/8"	4-3/4"
77700-03671	10 Ton	55-7/8" x 19-5/8" x 9-5/8"	6-7/8" / 27"	6-1/2"



77700-03505

Lawn Mower Lifts

- Easy access to under-deck for cleaning, lubricating, sharpen/remove blades



77700-03670

Part No.	Description
*77700-03669	Standard duty manual foot pump
*77700-03670	Heavy duty manual foot pump

* Enter item as whole good



77700-06485



77700-06484



77700-06486



72000-02748

M7-171 Collectible Tractors

77700-06484

With Loader 77700-06485

With Dual Rear Tires 77700-06486

With Front Weight 72000-02748

- A true classic you will want for your collection
- Rugged die cast construction for lasting value and durability
- Movable rubber tires
- High quality painted finish and logo



R630 Wheel Loader

77700-06130

- Rugged die cast construction with highly detailed features and finish
- Fully functioning bucket loader raises/lowers and tilts
- Articulating front end pivots 80° just like the real tractor
- Movable treaded rubber tires



BV5160 Baler

77700-05699

- Extreme detailing and high quality painted finish
- Durable die cast construction with molded components
- A must have for your collection
- Movable rubber tires



Z125S Kommander Zero Turn Mower

77700-06465

- Combination of durable materials provides years of lasting quality
- Accurate scale design with detailed features and graphics
- Mower blades on bottom spin
- Movable rubber tires



L200 Serialized Die Cast

77700-05571

- Highly detailed model of the first and original L200 Kubota tractor sold in America
- **Limited Edition**—2,500 units, each featuring an engraved, numbered brass plate
- Authentic tire tread design
- Sturdy die cast construction will retain its durability and great looks for years to come



M9960 Tractors

77700-06161

With Loader 77700-06196

- Die cast construction for years of lasting durability
- Intricate, accurate detail includes rear hitch for farm implement attachment
- High quality painted finish and logos, a true classic that you will want for your collection
- Movable rubber tires



M135GX Tractors

77700-04495

With Loader 77700-04496

- A must-have addition to your collection
- Extremely detailed inside and outside, down to the cab interior
- High quality, rugged die cast construction
- Movable rubber tires
- Loader bucket moves up, down and tilts (77700-04496 only)



M5-111 Tractor

77700-06487

With Loader 77700-06464

- Striking detail and scale accuracy inside and out
- Rugged die cast construction for lasting value and durability
- Fully functional front bucket loader
- Movable rubber tires



SSL Skid Steer

77700-06129

- Rugged die cast construction featuring intricate detail and finish
- Fully functioning bucket raises/lowers and tilts
- Movable rubber tires



RTV-X1120 Utility Vehicle

77700-06466

- The popular RTV now available in a collectible!
- Rugged die cast construction with rubber movable wheels
- Accurate scale model with high quality detail and graphics
- Tilt up dump cargo box



DM2032 Disc Mower

77700-05698

- Durable die cast construction
- Accurate scale design with detailed features and graphics
- Three bladed discs like the real machine
- Mower can be folded to vertical position

RA2071S Twin Rotary Rake

77700-05697

- Durable and rugged die cast, plastic and rubber construction
- A collectors model you will cherish, featuring intricate detail and finish
- Rotary rake assembly really does move 360°
- Movable rubber tires



KX080-4 Excavator

77700-06468

- You'll be proud to own this incredible collectible with it's fully functional boom arm and bucket
- No detail missed on this rugged piece of die cast equipment, down to cables, hoses and hydraulics
- Cab rotates 360° and front shovel moves up/down and left/right
- Movable rubber tracks



KX018-4 Excavator

70000-05003

- Highly detailed and accurate scale model
- Rugged die cast construction
- Body rotates 360°
- Fully functional boom arm with pivoting bucket
- Movable rubber tracks
- Front blade moves up/down and left/right





Pickup Truck with Trailer & L6060 Farm Tractor

77700-05492

- L6060 Farm Tractor features realistic lights and sound (AAA batteries included)
- Made from durable plastic
- Movable plastic tires
- Enclosed cab with clear, plastic window
- Detachable trailer with ramps that raise and lower for easy loading/unloading of the L6060 Tractor
- Includes one each: Pickup Truck, Trailer and L6060 Farm Tractor



Remote Controlled L6060 with Loader & Backhoe

77700-05489

- Simple, easy to operate remote for forward, backward, left and right movements, also raises and lowers front bucket
- Fully functional arms with pivoting bucket/backhoe
- Side stabilizer bars manually raise and lower like a real tractor
- Working headlights



L6060 Farm Tractor with Spreader

77700-05494

- L6060 Farm Tractor features realistic lights and sound (AAA batteries included)
- Made from durable plastic
- Movable plastic tires
- Enclosed cab with clear, plastic window
- Spreader bin features movable dispensing spout



Monster Tractor

77700-03895

- This Monster Tractor comes to life with the push of a button, activating flashing lights and realistic tractor sounds
- 3 "LR44" batteries included so the fun can start right away!
- Oversized tires for handling the toughest terrain
- Durable molded construction is tough enough for indoor or outdoor play



M135GX

77700-03630

- Movable front loader bucket
- Durable molded plastic
- Metal axle and movable rubber tires
- Realistic detail and graphics
- Durable, long lasting, scratch resistant graphics

M5-111 with Rake, Disc Mower & Hay Bale Trailer

77700-06293

- Durable molded construction
- Movable rubber wheels and rakes actually rotate
- Highly detailed with authentic Kubota logos and colors
- Buttons operate engine or horn sound effect and lights
- Includes one each: Kubota M5-111 Tractor, Baler, Trailed Mower Conditioner and Rotary Rake



Tractor & Wagon Set

77700-03892

- Durable molded construction
- Life-like detail and graphics
- Great for play, your collection or a gift!
- Enjoy hours of pretend fun and play with this durable Kubota farm toy
- Both the M5-111 tractor and wagon feature free moving tires





1:43

Truck & Tractor Set

77700-03894

- Durable molded construction
- Life-like detail and graphics
- Great for play or your collection
- Includes hay bales and crates containing corn, tomatoes and potatoes



L6060 Mini Monster

77700-05491

- Friction motor for smooth operation—no batteries needed!
- Rugged die cast construction for indoor and outdoor fun
- Oversized tires for handling tough terrain
- Fire up your child's imagination with this L6060 Mini Monster



Pull Back...



Let it Go!



R630 Pull-Back

77700-07901

- Reverse-wind spring motor
- Movable boom with pivoting bucket
- Metal axle and wheels that turn (rotate)



M5-111 Pull-Back Tractor

77700-06303

- Pull back and let go reverse-wind spring motor provides loads of fun for your little one!
- Movable front loader
- Metal axle and movable rubber tires



Z700 Pull-Back

77700-07902

- Reverse-wind spring motor
- Metal axle and wheels that turn (rotate)
- Hard rubber tires



Remote Controlled RTV-X1120D Utility Vehicle

77700-05490

- Your child can **KEEP IT KUBOTA** with this action-packed Remote Controlled RTV-X1120D Utility Vehicle
- Simple, easy-to-function remote
- Standard forward, backward, left and right controls
- Durable molded construction for indoor and outdoor use
- Features lift/dump cargo box



Mini Monster RTV-X1120D

77700-06300

- This Mini Monster RTV-X1120D utility vehicle is ready to tackle the toughest tasks on a variety of terrain with its oversized hard rubber tires
- Friction motor for smooth operation—no batteries needed!
- Rugged die cast construction for indoor and outdoor fun



RTV-X1120D Plush Toy

77700-05505

- Your child will adore the softness of this RTV Plush Toy
- 5.75" wide x 6.75" high x 8.5" long
- Brightly colored, machine washable material
- For ages 6 months to 8 years



RTV-X1120D



RTV-1140CPX

RTV-X1120D & RTV-1140CPX Pull-Back Utility Vehicles

RTV-X1120D 77700-06301

RTV-1140CPX 77700-07903

- Your little buddy will enjoy hours of fun with these rugged RTVs and their pull back and let go reverse-wind spring motor
- Durable molded plastic
- Metal axle and movable hard rubber tires
- Highly detailed to resemble the real RTVs



SSV65 Skid Steer with Loader & Attachments

77700-06297

- Authentic engine and horn sound effects
- Fully functional arms with pivoting assembly that accepts attachments
- Hay bales included
- Movable rubber wheels and durable molded construction
- Realistic detail and graphics
- Interchangeable attachments include Bucket, Forks, Grapple Bucket & Auger



77700-03891

SVL90-2 Compact Track Loaders

1:18 Scale 77700-03891

1:36 Scale 77700-03521

- Moves like the real SVL90-2 with fully functional arms and pivoting bucket
- Durable molded construction for any job!
- Quality detail and graphics
- Movable rubber tracks



KX080-4 Excavator

77700-03890

- Body rotates 360°
- Kids will dig this Excavator that features a fully functional boom arm with a pivoting bucket, detailed graphics and durable molded construction for endless fun in the rocks, sandbox, dirt and more!
- Movable rubber tracks
- Front blade moves up/down and left/right



KX040-4

KX040-4 & SSV65 Skid Steer Pull-Backs

KX040-4 77700-07904
SSV65 77700-06302

- Reverse-wind spring motor
- Movable boom with pivoting bucket
- Metal axle and wheels that turn (rotate)

M5-111 Pedal Tractor

77700-06374

Plastic Trailer 77700-03612

- Get ready to ride your very own pedal tractor!
- Metal die cast pedal tractor styled after the classic M5-111 Kubota tractor
- Chain drive tractor—encourages kids to be active!
- Authentic Kubota graphics and colors
- Large rear tires provide easy traction and movement
- Full-function steering
- For the next generation of Kubota owners, ages 3 and up
- Don't forget the trailer for your tractor! The trailer features plastic wheels with rubber tires and measures 20" long x 15" high x 8" wide



M135GX Pedal Tractor with Loader and Trailer

77700-05538

- Kids will love this pedal tractor, whether they are pretending to be a construction worker or farmer!
- Durable molded plastic with lots of detail and bright colored finish looks just like the real tractor!
- Full control of the loader from the drivers seat, allowing you to scoop, carry and dump from the comfort of a bucket seat with back rest
- Treading on the tractor tires provides traction on a variety of surfaces including pavement, grass, gravel and dirt
- Use the matching, detachable trailer to deliver and load cargo to where it needs to go





**Tractor with
Farm Animals Playset**
77700-08698

- Your little farmer will love playing with this farm set of animals, crops and tractor, with easy to assemble barn and fencing
- Includes: One each; Barn, Horse, Cow, Calf, Sheep, Lamb, Corn Row, Barrel of Corn, Barrel of Tomatoes, Kubota BX2670, Trailer, Poseable Figure, Six Each; Fence Sections



RTV-X1120D
with Horses Playset
77700-08699

- Time for chores! And of course lots of fun time with the 16-piece ranch playset.
- Features RTV-X1120D with movable rubber tires
- Includes: One each; Horse Stable, Kubota RTV-X1120D, Saddle, Saddle Holder, Trough, Wheelbarrow, Hay, Poseable Figure, Bucket, Hanging Hay Feeder, Two Each; Horses, Six Each; Fence Sections



**Farm Tractors
& Flatbed Semi Playset**
77700-08700

- Load up the big rig and start hauling...semi tractor with detachable flatbed, moveable rubber wheels for hours of fun
- Durable diecast and plastic molded construction
- Features the SSV65 Skid Steer, M5-111 Tractor and RTV 1140 Pull-back toys
- Includes: One each; Diecast Semi Tractor, Flatbed Trailer, SSV65 Skid Steer Pull-back, M5-111 Tractor Pull-back, RTV 1140 Pull-back, Four each; Round Hay Bales, Six each; Square Hay Bales



**M5-111 Tractor with
Wagons & Grain Bin Set**
77700-07896

- Enjoy hours of fun dispensing seed, grains or rice from elevated grain bin into the wagon
- Tractor and wagons feature movable rubber wheels
- Includes: One each; M5-111 Farm Tractor, Elevated Grain Bin, Wind Turbine, Two Each; Wagons, Round Hay Bales, Wheat Rows



**L6060 Tractor with
Ranch Cows Playset**
77700-08697

- Enjoy hours of fun playtime with the tractor featuring lights and sound, and the fully functioning bucket and backhoe
- Livestock corral with 7 detachable sections
- Includes: One each; L6060 Tractor, Hay Bale, Round Hay Feeder, Rake, Pitchfork, Shovel, Hoe, Poseable Figure, Seven each; Livestock Corral Sections



Farm Tractors & Shed Set
77700-07898

- Classic 18-piece farm set
- When your day on the farm is done, put all the vehicles and animals in the large shed
- Features M5-111 and SSV65 Pull-Back tractors
- Includes: One each; M5-111 Pull-back, SSV65 Pull-back, Shed, Stake Truck, Flatbed Trailer, Two Each; Cows, Horses Three Each; Square Hay Bales, Six Each; Fence Sections



**M5-111 Tractor & BV5160
Baler with Three Building Block
Round Bales Set**
77700-07593

- Exclusive design featuring detailed and movable components—over 400 pieces!
- Durable, bright colored plastic blocks
- Compatible with other building block brands
- Includes: One each; M5-111 Tractor, BV5160 Baler, Kubota Figure, Inner Cardboard Tray with Poly Bagged Blocks, Decal Sheet & Instruction Manual, Three Each; Building Block Round Bales





Construction Equipment & Dump Truck Playset 77700-08701

- Have fun reshaping the land with this playset! Little construction workers will have a fun filled day with the dump truck and trailer with lift up gates and tilting beds.
- Durable diecast and plastic construction
- Features three Pull-back toys—KX040 Excavator, SSV65 Skid Steer and R630 Wheel Loader!
- Includes: One each; Diecast Semi Tractor with Dump Truck Bed, Dump Trailer, Trailer, KX040 Excavator Pull-back, SSV65 Skid Steer Pull-back, R630 Wheel Loader Pull-back, Three each; Detailed Boulders



Construction Equipment & Shed Set 77700-07897

- This 19-piece set provides all the young mind needs to build that road, reshape the land, and more
- Durable molded components featuring detailed graphics
- When done playing, put all the construction pieces into the large shed
- Features R630 and KX-040 Pull-Back vehicles
- Includes: One each; R630 Pull-back, KX-040 Pull-back, Shed, Construction Barricade, Pickup Truck, Utility Trailer, Two each; Lubrication Barrels, Three each; Boulders, Warning Cones/Triangle, Five each; Directional Signs

Pull-Back Tractor with Ford Pickup Truck & Trailer

SSV65 Skid Steer 77700-08702
KX040 Excavator 77700-08704
R630 Wheel Loader 77700-08705
M5-111 Tractor 77700-08703

- Features the pull-back toy with a fully functioning bucket loader/front shovel and blade
- Diecast pickup truck
- Trailer ramp raises and lowers for easy loading/unloading
- Includes: One each; Pull-back Toy, Diecast Pickup Truck, Trailer



77700-08702 & 77700-08703

77700-08704 & 77700-08705



10 Piece Turf Truck Set 77700-06298

- Equip your child with all the turf maintenance equipment needed to get the job done!
- Movable rubber tires and durable molded construction is tough enough for indoor or outdoor play!
- Rear trailer door opens so you can load up and haul the Lawn Tractor to the new job site
- Includes: One each; Trailer with Pull-Out Side Canopy and Loading Ramp, Kubota Pickup Truck, Lawn Tractor, Poseable Figure, Mower Deck, Back Pack Leaf Blower, Grass Trimmer, Chain Saw, Protective Helmet with Shield and Convenient Caddy for Accessory Tools



11 Piece Dealership Play Set 77700-05493

- Provides endless hours of dealership and farming fun
- Durable molded construction with highly detailed components
- Contents include one of each of the following: Kubota Dealership Sign, Kubota Dealership Store Front, Dealership Ramp/Dock, Semi Trailer, M135GX Pull-back Tractor, Kubota Pickup Truck, Utility Trailer, Kubota Battery Display Rack, Kubota Tool Box and **two** Kubota Oil Barrels

NEW



Coloring Book 2002644970001

- Let your imagination lead the way by diving into this coloring book
- Large, easy to color Kubota tractors and construction equipment




RTV-X1120D Hunting Set 77700-07900

- Take an imaginative hunting trip adventure with this life-like action hunting set
- Durable construction for years of enjoyment
 - Camouflage gear for the great outdoors and an RTV with moveable wheels to get you over that rugged terrain
- 14-piece set provides hours of imaginative fun and adventure
- Includes: One each; RTV-X1120D, Outdoorsman Figure, Tripod Deer Stand, Camouflage Ground Blind, Compound Bow, Two Each; Hunting Dogs, Three Each; Deer Figures, Duck Figures, Four Each; Firearms



Two-Sided Playmat with Two RTV's & Zero Turn Mower 77700-07899

- Playmat approximate size 18" x 36"
- Durable and colorful, thick playmat resists scratches
- One side features a farm scene and the reverse side features a landscape scene
- RTV's and Zero Turn Mower feature pull-back-n-go action



NEW




RTV-X900 Building Blocks Set 77700-08679

- Contains 182+ pieces
- Features tilting rear dump bed with opening tailgate
- Compatible with other building blocks
- Inner cardboard tray with poly bagged blocks, decal sheet & instructions
- Includes: One each; RTV-X900 Toy, Kubota Figure, Dog, Tool Box, Shovel, Binoculars, Wrench, Flashlight, Walkie-Talkie, Sack



350 Piece Dealership Building Blocks Set 77700-06229

- Exclusive design with detailed components inspire young minds to learn and explore
- Contains 350 pieces for hours of fun
- Build your Kubota dealership with easy to follow instructions
- Compatible with other building block brands
- Dealership building actual size: 6.25" square x 8" high



Kubota Dominoes 77700-07906

- Includes 28 plastic dominoes
- No reading necessary to play
- Match the most dominoes to win!
- Convenient tin for storing





www.kubota.ca

© 2017 Kubota Canada Ltd.

Kubota Canada Ltd. reserves the right to change the stated specifications without notice. The catalogue is for descriptive purposes only and does not provide any express or implied warranty of any nature, including any warranty of merchantability or for a particular purpose. For complete operational information, the operations manual should be consulted. Kubota Canada Ltd. supplies products and services to Canadian residents only. For information regarding Kubota products or services outside Canada, see the Kubota Corporation's global website.